

---

# FitBenchmarking Documentation

*Release 0.1.dev1*

STFC

Oct 06, 2021



---

## Contents

---

<b>1</b>	<b>FitBenchmarking</b>	<b>3</b>
1.1	Table Of Contents . . . . .	3
	<b>Python Module Index</b>	<b>75</b>
	<b>Index</b>	<b>77</b>







FitBenchmarking is an open source tool for comparing different minimizers/fitting frameworks. FitBenchmarking is cross platform and we support Windows, Linux and Mac OS. For questions, feature requests or any other inquiries, please open an issue on GitHub, or send us an e-mail at [support@fitbenchmarking.com](mailto:support@fitbenchmarking.com).

- **Installation Instructions:** [https://fitbenchmarking.readthedocs.io/en/v0.1.5-beta1/users/install\\_instructions/index.html](https://fitbenchmarking.readthedocs.io/en/v0.1.5-beta1/users/install_instructions/index.html)
- **User Documentation & Example Usage:** <https://fitbenchmarking.readthedocs.io/en/v0.1.5-beta1/users/index.html>
- **Community Guidelines:** <https://fitbenchmarking.readthedocs.io/en/v0.1.5-beta1/contributors/guidelines.html>
- **Automated Tests:** Run via GitHub Actions, <https://github.com/fitbenchmarking/fitbenchmarking/actions>, and tests are documented at <https://fitbenchmarking.readthedocs.io/en/v0.1.5-beta1/users/tests.html>

The package is the result of a collaboration between STFC's Scientific Computing Department and ISIS Neutron and Muon Facility and the Diamond Light Source. We also would like to acknowledge support from:

- EU SINE2020 WP-10, which received funding from the European Union's Horizon2020 research and innovation programme under grant agreement No 654000.
- EPSRC Grant EP/M025179/1 Least Squares: Fit for the Future.
- The Ada Lovelace Centre (ALC). ALC is an integrated, cross-disciplinary data intensive science centre, for better exploitation of research carried out at our large scale National Facilities including the Diamond Light Source (DLS), the ISIS Neutron and Muon Facility, the Central Laser Facility (CLF) and the Culham Centre for Fusion Energy (CCFE).

## 1.1 Table Of Contents

### 1.1.1 FitBenchmarking Concept Documentation

Here we outline why we built the fitbenchmarking software, and how the software benchmarks minimizers with the goal of highlighting the best tool for different types of data.

## Why is FitBenchmarking important?

Fitting a mathematical model to data is a fundamental task across all scientific disciplines. (At least) three groups of people have an interest in fitting software:

- **Scientists**, who want to know what is the best algorithm for fitting their model to data they might encounter, on their specific hardware;
- **Scientific software developers**, who want to know what is the state-of-the-art in fitting algorithms and implementations, what they should recommend as their default solver, and if they should implement a new method in their software; and
- **Mathematicians and numerical software developers**, who want to understand the types of problems on which current algorithms do not perform well, and to have a route to expose newly developed methods to users.

Representatives of each of these communities have got together to build FitBenchmarking. We hope this tool will help foster fruitful interactions and collaborations across the disciplines.

## Example workflow

The black crosses on the plot below are data obtained from an experiment at the VESUVIO beamline at ISIS Neutron and Muon source:




Fig. 1: VESUVIO experiment data

The scientist needs to interpret this data, and will typically use a data analysis package to help with this. Such packages are written by specialist scientific software developers, who are experts in analysing the kind of data produced by a given experiment; examples include [Mantid](#), [SasView](#), and [Horace](#).

These packages include mathematical models, which depend on parameters, that can describe the data. We need to find values for the parameters in these models which best fit the data – for more background, see this [Wikipedia article](#). The usual way this is done is by finding parameters that minimize the (weighted) squares of the error in the data, or  $\chi^2$  value. This is equivalent to formulating a nonlinear least-squares problem; specifically, given  $n$  data points  $(x_i, y_i)$  (the crosses in the figure above), together with estimates of the errors on the values of  $y_i$ ,  $\sigma_i$ , we solve

$$\beta^* = \arg \min_{\beta} \underbrace{\sum_i \left( \frac{y_i - f(\beta; x_i)}{\sigma_i} \right)^2}_{\chi^2(\beta)},$$

where  $f(\beta; x)$  is the model we’re trying to fit, and  $\beta$  are the parameters we’re trying to find.

Usually the scientist will supply a starting guess,  $\beta_0$  (the pink curve in the graph above), which describes where they think the solution might be. She then has to *choose which algorithm to use to fit the curve* from the selection available in the analysis software. Different algorithms may be more or less suited to a problem, depending on factors such as the architecture of the machine, the availability of first and second derivatives, the amount of data, the type of model used, etc.

Below we show the data overlayed by a blue curve, which is a model fitted using the implementation of the Levenberg-Marquardt algorithm from the GNU Scientific Library (`lmsder`). The algorithm claims to have found a local minimum with a Chi-squared error of 0.4771 in 1.9 seconds.

We also solved the nonlinear least squares problem using GSL’s implementation of a Nedler-Mead simplex algorithm (`nmsimplex2`), which again claimed to solve the problem, this time in a faster 1.5 seconds. However, this time the Chi-squared error was 0.8505, and we plot the curve obtained in green below. The previous curve is in dotted-blue, for comparison.

By eye it is clear that the solution given by `lmsder` is better. As the volume of data increases, and we do more and more data analysis algorithmically, it is increasingly important that we have the best algorithm without needing to check it by eye.

FitBenchmarking will help the **scientist** make an informed choice by comparing runtime and accuracy of all available minimizers, on their specific hardware, on problems from their science area, which will ensure they are using the most appropriate minimizer.

FitBenchmarking will help the **scientific software developer** ensure that the most robust and quickest algorithms for the type of data analysis they support are available in their software.

FitBenchmarking will help **mathematicians** see what the state of the art is, and what kinds of data are problematic. It will give them access to real data, and will give a route for novel methods to quickly make it into production.

A workflow as described above plays a crucial role in the processing and analysis of data at large research facilities in tasks as diverse as instrument calibration, refinement of structures, and data analysis methods specific to different scientific techniques. FitBenchmarking will ensure that, across all areas that utilise least-squares fitting, scientists can be confident they are using the best tool for the job.

We discuss the specific FitBenchmarking paradigm in the Section [How does FitBenchmarking work?](#)

## How does FitBenchmarking work?

FitBenchmarking takes data and models from real world applications and data analysis packages. It fits the data to the models by casting them as a nonlinear least-squares problem. We fit the data using a range of data fitting and nonlinear optimization software, and present comparisons on the accuracy and timings.




Fig. 2: GSL's `lmsder` (Levenberg-Marquardt) algorithm on the data





Fig. 3: GSL's `nmsimplex2` (Nelder-Mead Simplex) algorithm on the data



## The Benchmarking Paradigm

FitBenchmarking can compare against any of the supported minimizers listed in [Minimizer Options](#). We've also made it straightforward to add new software by following the instructions in [Adding Fitting Software](#) – the software just needs to be callable from Python.

Once you have chosen which minimizers you want to compare for a given problem, running FitBenchmarking will give you a comparison to indicate the minimizer that performs best.

There are a number of options that you can pick to customize what your tests are comparing, or how they are run. A full list of these options, and how to select them, is given in the section [FitBenchmarking Options](#).

FitBenchmarking creates tables, as given in the section [FitBenchmarking Output](#), which show a comparison between the different minimizers available. An example of a table is:

This is the result of FitBenchmarking for a selection of software/minimizers and different problem definition types supported in FitBenchmarking. Both the raw chi squared values, and the values normalised with respect to the best minimizer per problem, are given. The problem names link to html pages that display plots of the data and the fit that was performed, together with initial and final values of the parameters. Here is an example of the final plot fit:


## Performance Profile


With each test FitBenchmarking also produces a Dolan-Moré performance profile:

The solvers appearing in the top left corner may be considered the best performing on this test set. See [Dolan and Moré \(2001\)](#) for more information.

	bumps		dfo	gsl		mantid	minuit	ralfit		scipy		scipy-ls	
	mp	amoeba	dfols	lmsder	lmsder	Levenberg-MarquardtMD	minuit	gn	gn_reg	CG	L-BFGS-B	lm-scipy-no-jac	trf
BENNETTS	1.912e-05 (1.191)	1.608e-05 (1.001)	7.039 (1.27e+00) <sup>2</sup>	1.639e-05 (1.021) <sup>2</sup>	1.612e-05 (1.004) <sup>2</sup>	1.606e-05 (1) <sup>1</sup>	2.127e-05 (1.325)	1.606e-05 (1)	1.606e-05 (1)	2.926e-05 (1.823) <sup>1</sup>	0.02056 (1281)	1.905e-05 (1.186) <sup>1</sup>	1.649e-05 (1.027) <sup>1</sup>
BoxBOD, Start 1	61.81 (7.724)	61.81 (7.724)	80.73 (10.09) <sup>2</sup>	inf (inf) <sup>2</sup>	8.003 (1)	61.81 (7.724)	8.003 (1)	61.81 (7.724)	61.81 (7.724)	61.81 (7.724)	8.003 (1)	8.003 (1)	8.003 (1)
BoxBOD, Start 2	8.003 (1)	8.003 (1)	8.003 (1)	8.003 (1)	8.003 (1)	8.003 (1) <sup>1</sup>	8.003 (1)	8.003 (1)	8.003 (1)	8.003 (1)	8.003 (1)	8.003 (1)	8.003 (1)
CERI651A	334.8 (1)	348.3 (1.04)	3380 (5.841) <sup>2</sup>	334.8 (1)	334.8 (1)	381.9 (1.141) <sup>1</sup>	349.9 (1.045)	inf (inf) <sup>2</sup>	inf (inf) <sup>2</sup>	383.2 (1.144) <sup>1</sup>	383.2 (1.144)	334.8 (1)	334.8 (1)
ENGINX 193749 calibration, spectrum 651, peak 5	29.11 (1.996)	31.5 (2.16)	24.71 (1.695) <sup>2</sup>	14.58 (1)	14.58 (1)	14.69 (1.007)	15.12 (1.037)	inf (inf) <sup>2</sup>	inf (inf) <sup>2</sup>	20.96 (1.437) <sup>1</sup>	20.96 (1.437)	14.58 (1)	15.38 (1.054)
Gauss3, Start 1	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	77.78 (1.015) <sup>1</sup>	80.38 (1.049)	76.64 (1)	76.64 (1)
Gauss3, Start 2	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1)	76.64 (1) <sup>1</sup>	76.64 (1)	76.64 (1)	76.64 (1)	78.96 (1.03) <sup>2</sup>	92.71 (1.21)	76.64 (1)	76.64 (1)
HIFI 116891	1.900e+04 (16.38)	920.4 (1)	920.4 (1)	inf (inf) <sup>2</sup>	920.4 (1)	920.4 (1)	inf (inf) <sup>2</sup>	inf (inf) <sup>2</sup>	inf (inf) <sup>2</sup>	922 (1.002) <sup>1</sup>	922 (1.002)	920.4 (1)	920.4 (1)
Lanczos2, Start 1	2.189e-11 (1)	9.94e-08 (54.1)	1.508e-10 (1.140) <sup>2</sup>	2.189e-11 (1)	2.189e-11 (1)	2.189e-11 (1)	0.0004054 (1.263e+02)	2.189e-11 (1)	2.189e-11 (1)	1.183e-05 (5.405e+05)	1.372e-05 (6.268e+05)	1.415e-09 (64.72)	2.189e-11 (1)
Lanczos2, Start 2	2.189e-11 (1)	2.474e-07 (1.13e+04)	2.232e-11 (1.02) <sup>2</sup>	2.189e-11 (1)	2.189e-11 (1)	2.189e-11 (1)	0.0003013 (1.052e+02)	2.189e-11 (1)	2.189e-11 (1)	1.119e-05 (1.625e+05)	1.375e-05 (6.285e+05)	2.189e-11 (1)	2.189e-11 (1)
Thurber, Start 1	7.591 (1)	7.591 (1)	7.591 (1) <sup>2</sup>	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	15 (1.976)	7.591 (1)	7.591 (1)
Thurber, Start 2	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)	7.591 (1)
WISH17701 panel 103 tube 3 calibration, peak 2	7.014e+06 (1)	7.014e+06 (1)	7.014e+06 (1) <sup>1</sup>	7.014e+06 (1)	7.014e+06 (1)	7.014e+06 (1)	7.014e+06 (1)	7.014e+06 (1)	7.014e+06 (1)	1.022e+07 (4.168) <sup>1</sup>	1.634e+07 (2.329)	7.014e+06 (1)	7.014e+06 (1)

Form	Parameters
CERI651A	f0=0.0, f1=0.0, f2=1.0, f3=3702.76, f4=26061.4, f5=38.7105, f6=37027.1





## 1.1.2 FitBenchmarking User Documentation

In these pages we describe how to install, run, and set options to use the FitBenchmarking software.

### Installation

Fitbenchmarking will install all packages that can be installed through pip. This includes the minimizers from SciPy, bumps, DFO-GN/LS, Minuit, and also the SASModels package.

To enable Fitbenchmarking with the other supported software, you must install them with the external software instructions.

### Installing FitBenchmarking and default fitting packages

We recommend using `conda` for running/installing Fitbenchmarking. The easiest way to install FitBenchmarking is by using the Python package manager, `pip`.

#### Installing via pip

FitBenchmarking can be installed via the command line by entering:

```
python -m pip install fitbenchmarking[bumps,DFO,minuit,SAS]
```

This will install the latest stable version of FitBenchmarking. For all available versions please visit the FitBenchmarking [PyPI project](#). FitBenchmarking can also use additional software that cannot be installed using pip; please see *Installing External Software* for details.

---

**Note:** This install will include additional optional packages – see *Extra dependencies*. Any of the dependencies in the square brackets can be omitted, if required, and that package will not be available for Benchmarking, or will use the version of the package already on your system, if appropriate.

---

#### Installing from source

You may instead wish to install from source, e.g., to get the very latest version of the code that is still in development.

1. Download this repository or clone it using `git`: `git clone https://github.com/fitbenchmarking/fitbenchmarking.git`
2. Open up a terminal (command prompt) and go into the `fitbenchmarking` directory.
3. Once you are in the right directory, we recommend that you type

```
python -m pip install .[bumps,DFO,minuit,SAS]
```

4. Additional software that cannot be installed via pip can also be used with FitBenchmarking. Follow the instructions at *Installing External Software*.

## Extra dependencies

In addition to the external packages described at *Installing External Software*, some optional dependencies can be installed directly by FitBenchmarking. These are installed by issuing the commands

```
python -m pip install fitbenchmarking['option-1','option-2',...]
```

or

```
python -m pip install .['option-1','option-2',...]
```

where valid strings `option-x` are:

- `bumps` – installs the **Bumps** fitting package.
- `DFO` – installs the **DFO-LS** and **DFO-GN** fitting packages.
- `minuit` – installs the **Minuit** fitting package.
- `SAS` – installs the **Sasmodels** fitting package.

## Installing External Software

Fitbenchmarking will install all packages that are available through pip.

To enable Fitbenchmarking with the other supported software, they need to be installed and available on your machine. We give pointers outlining how to do this below, and you can find install scripts for Ubuntu 18.04 in the directory `/build/<software>/`

## CUTEst

CUTEst is used to parse SIF files in FitBenchmarking, and is called via the PyCUTEst interface.

Currently this is only supported for Mac and Linux, and can be installed by following the instructions outlined on the [pycutest documentation](#)

Please note that the `PYCUTEST_CACHE` environment variable must be set, and it must be in the `PYTHONPATH`.

## GSL

GSL is used as a fitting software in FitBenchmarking, and is called via the pyGSL interface.

Install instructions can be found at the [pyGSL docs](#). This package is also installable via pip, provided GSL is available on your system; see our example build script in `build/gsl`.

Note: pyGSL may not be installable with the latest versions of pip. We have found that 20.0.2 works for our tests.

## Mantid

Mantid is used both as fitting software, and to parse data files.

Instructions on how to install Mantid for range of systems are available at <https://download.mantidproject.org/>.

## RALFit

RALFit is available to use as fitting software.

Instructions on how to build the python interface are at <https://ralfit.readthedocs.io/projects/Python/en/latest/install.html>

## Running FitBenchmarking

Once installed, issuing the command

```
fitbenchmarking
```

will run the NIST test example on SciPy minimizers.

## Running alternative problems

Other problems written in a *supported file format* can be analyzed with FitBenchmarking by passing the path using the `--problem-sets` (or `-p`) option. Some example problems can be downloaded from *Benchmark problems*, and they can also be found in the `fitbenchmarking/examples` directory of the code.

For example, to run the NIST low difficulty set from the base directory of the source, type into the terminal:

```
fitbenchmarking -p examples/benchmark_problems/NIST/low_difficulty
```

## Changing the options

An options file can also be passed with the `-o` argument. For example, the template file can be run by issuing the command

```
fitbenchmarking -o examples/options_template.ini \
-p examples/benchmark_problems/NIST/low_difficulty
```

Details about how the options file must be formatted are given in *FitBenchmarking Options*.

Running `fitbenchmarking -h` will give more guidance about available commands, including examples of how to run multiple problem sets.

## FitBenchmarking Output

FitBenchmarking produces tables as outputs. The links below give descriptions of these tables.

## Comparison Table

```
class fitbenchmarking.results_processing.compare_table.CompareTable(results,
                                                                    best_results,
                                                                    options,
                                                                    group_dir,
                                                                    pp_locations,
                                                                    ta-
                                                                    ble_name)
```

The combined results show the accuracy in the first line of the cell and the runtime on the second line of the cell.

## Accuracy Table

```
class fitbenchmarking.results_processing.acc_table.AccTable(results, best_results,
                                                           options, group_dir,
                                                           pp_locations, ta-
                                                           ble_name)
```

The accuracy results are calculated from the final chi squared value:

$$\min_p \sum_{i=1}^n \left( \frac{y_i - f(x_i, p)}{e_i} \right)^2$$

where  $n$  data points  $(x_i, y_i)$ , associated errors  $e_i$ , and a model function  $f(x, p)$ .

## Runtime Table

```
class fitbenchmarking.results_processing.runtime_table.RuntimeTable(results,
                                                                      best_results,
                                                                      options,
                                                                      group_dir,
                                                                      pp_locations,
                                                                      ta-
                                                                      ble_name)
```

The timing results are calculated from an average using the `timeit` module in python. The number of runtimes can be set in *FitBenchmarking Options*.

## Local Minimizer Table

```
class fitbenchmarking.results_processing.local_min_table.LocalMinTable(results,
                                                                           best_results,
                                                                           op-
                                                                           tions,
                                                                           group_dir,
                                                                           pp_locations,
                                                                           ta-
                                                                           ble_name)
```

The local min results shows a True or False value together with  $\frac{\|J^T r\|}{\|r\|}$ . The True or False indicates whether the software finds a minimum with respect to the following criteria:

- $\|r\| \leq \text{RES\_TOL}$ ,
- $\|J^T r\| \leq \text{GRAD\_TOL}$ ,
- $\frac{\|J^T r\|}{\|r\|} \leq \text{GRAD\_TOL}$ ,

where  $J$  and  $r$  are the Jacobian and residual of  $f(x, p)$ , respectively. The tolerances can be found in the results object.

## Table formats

The tables for accuracy, runtime and compare have three display modes:

```
{ 'abs': 'Absolute values are displayed in the table.',
  'both': 'Absolute and relative values are displayed in the table '
          'in the format ``abs (rel)``',
  'rel': 'Relative values are displayed in the table.'}
```

This can be set in the option file using the *Comparison Mode* option.

The *Local Minimizer Table* table is formatted differently, and doesn't use this convention.

## Benchmark problems

To help choose between the different minimizers, we have made some curated problems available to use with FitBenchmarking. It is also straightforward to add custom data sets to the benchmark, if that is more appropriate; see *Problem Definition Files* for specifics of how to add additional problems in a supported file format.

### Downloads

**You can download a folder containing all examples here:** `.zip` or `.tar.gz`

Individual problem sets are also available to download below.

We supply some standard nonlinear least-squares test problems in the form of the [NIST nonlinear regression set](#) and the relevant problems from the [CUTEst problem set](#), together with some real-world data sets that have been extracted from [Mantid](#) and [SASView](#) usage examples and system tests. We've made it possible to extend this list by following the steps in *Adding Fitting Problem Definition Types*.

Each of the test problems contain:

- a data set consisting of points  $(x_i, y_i)$  (with optional errors on  $y_i, \sigma_i$ );
- a definition of the fitting function,  $f(\beta; x)$ ; and
- (at least) one set of initial values for the function parameters  $\beta_0$ .

If a problem doesn't have observational errors (e.g., the NIST problem set), then FitBenchmarking can approximate errors by taking  $\sigma_i = \sqrt{y_i}$ . Alternatively, there is an option to disregard errors and solve the unweighted nonlinear least-squares problem, setting  $\sigma_i = 1.0$  irrespective of what has been passed in with the problem data.

As we work with scientists in other areas, we will extend the problem suite to encompass new categories. The FitBenchmarking framework has been designed to make it easy to integrate new problem sets, and any additional data added to the framework can be tested with any and all of the available fitting methods.

Currently FitBenchmarking ships with data from the following sources:

### Powder Diffraction Data (SIF files)

**Download** `.zip` or `.tar.gz`

These problems (also found in the folder `examples/benchmark_problems/DIAMOND_SIF`) contain data from powder diffraction experiments. The data supplied comes from the [I14 Hard X-Ray Nanoprobe](#) beamline at the Diamond Light source, and has been supplied in the SIF format used by [CUTEst](#).

These problems have either 66 or 99 unknown parameters, and fit around 5,000 data points.

**Warning:** The external packages CUTEst and pycutest must be installed to run this data set. See [Installing External Software](#) for details.

## MultiFit Data (Mantid)

**Download** `.zip` or `.tar.gz`

These problems (also found in the folder *examples/benchmark\_problems/MultiFit*) contain data for testing the MultiFit functionality of Mantid. This contains a simple data set, on which two fits are done, and a calibration dataset from the MuSR spectrometer at ISIS, on which there are four fits available. See [The MultiFit documentation](#) for more details.

**Warning:** The external package Mantid must be installed to run this data set. See [Installing External Software](#) for details.

This will also only work using the [Mantid Minimizers](#).

## Muon Data (Mantid)

**Download** `.zip` or `.tar.gz`

These problems (also found in the folder *examples/benchmark\_problems/Muon*) contain data from Muon spectrometers. The data supplied comes from the [HiFi](#) and [EMU](#) instruments at STFC's ISIS Neutron and Muon source, and has been supplied in the format that [Mantid](#) uses to process the data.

These problems have between 5 and 13 unknown parameters, and fit around 1,000 data points.

**Warning:** The external package Mantid must be installed to run this data set. See [Installing External Software](#) for details.

## NIST

**Download** `.zip` or `.tar.gz`

These problems (also found in the folder *examples/benchmark\_problems/NIST*) contain data from the [NIST Nonlinear Regression](#) test set.

These problems are split into low, average and high difficulty. They have between 2 and 9 unknown parameters, and fit between 6 and 250 data points.

## Neutron Data (Mantid)

**Download** `.zip` or `.tar.gz`

These problems (also found in the folder *examples/benchmark\_problems/Neutron*) contain data from Neutron scattering experiments. The data supplied comes from the [Engin-X](#), [GEM](#), [eVS](#), and [WISH](#) instruments at STFC's ISIS Neutron and Muon source, and has been supplied in the format that [Mantid](#) uses to process the data.

The size of these problems differ massively. The Engin-X calibration problems find 7 unknown parameters, and fit to 56-67 data points. The Engin-X vanadium problems find 4 unknown parameters, and fit to around 14,168 data points.

The eVS problems find 8 unknown parameters, and fit to 1,025 data points. The GEM problem finds 105 unknown parameters, and fits to 1,314 data points. The WISH problems find 5 unknown parameters, and fit to 512 data points.

**Warning:** The external package Mantid must be installed to run this data set. See [Installing External Software](#) for details.

## Small Angle Scattering (SASView)

**Download** `.zip` or `.tar.gz`

These problems (also found in the folder `examples/benchmark_problems/SAS_modelling/1D`) are two data sets from small angle scattering experiments. These are from fitting data to a [cylinder](#), and have been supplied in the format that [SASView](#) uses to process the data.

These have 6 unknown parameters, and fit to either 20 or 54 data points.

**Warning:** The external package `sasmodels` must be installed to run this data set. See [Installing External Software](#) for details.

## CUTEst (SIF files)

**Download** `.zip` or `.tar.gz`

This directory (also found in the folder `examples/benchmark_problems/SIF`) contain [SIF files](#) encoding least squares problems from the [CUTEst](#) continuous optimization testing environment.

These are from a wide range of applications. They have between 2 and 9 unknown parameters, and for the most part fit between 6 and 250 data points, although the *VESUVIO* examples (from the [VESUVIO](#) instrument at ISIS) have 1,025 data points (with 8 unknown parameters).

**Warning:** The external packages CUTEst and pycutest must be installed to run this data set. See [Installing External Software](#) for details.

## Simple tests

**Download** `.zip` or `.tar.gz`

This folder (also found in `examples/benchmark_problems/simple_tests`) contains a number of simple tests with known, and easy to obtain, answers. We recommend that this is used to test any new minimizers that are added, and also that any new parsers reimplement these data sets and models (if possible).

## FitBenchmarking Options

The default behaviour of FitBenchmarking can be changed by supplying an options file. The default values of these options, and how to override them, are given in the pages below.

## Fitting Options

Options that control the benchmarking process are set here.

### Software (`software`)

Software is used to select the fitting software to benchmark, this should be a newline-separated list. Available options are:

- `bumps` (default software)
- `dfo` (default software)
- `gsl` (external software – see [Installing External Software](#))
- `mantid` (external software – see [Installing External Software](#))
- `minuit` (default software)
- `ralfit` (external software – see [Installing External Software](#))
- `scipy` (default software)
- `scipy_ls` (default software)

Default are `bumps`, `dfo`, `minuit`, `scipy`, and `scipy_ls`

```
[FITTING]
software: bumps
         dfo
         minuit
         scipy
         scipy_ls
```

**Warning:** Software must be listed to be here to be run. Any minimizers set in [Minimizer Options](#) will not be run if the software is not also present in this list.

### Number of minimizer runs (`num_runs`)

Sets the number of runs to average each fit over.

Default is 5

```
[FITTING]
num_runs: 5
```

### Algorithm type (`algorithm_type`)

This is used to select what type of algorithm is used within a specific software. The options are:

- `all` - all minimizers
- `ls` - least-squares fitting algorithms

- `deriv_free` - derivative free algorithms (these are algorithms that do not require an information about derivatives. For example, the Simplex method in Mantid does not require derivative information but `lm-scipy-no-jac` in `scipy_ls` does but the derivative is handle internally within the software package)
- `general` - minimizers which solve a generic  $\min f(x)$

Default is `all`

```
[FITTING]
algorithm_type: all
```

**Warning:** Choosing an option other than `all` may deselect certain minimizers set in the options file

### Use errors (`use_errors`)

This will switch between weighted and unweighted least squares. If `use_errors=True`, and no errors are supplied, then `e[i]` will be set to `sqrt(abs(y[i]))`. Errors below `1.0e-8` will be clipped to that value.

Default is `True` (yes/no can also be used)

```
[FITTING]
use_errors: yes
```

### Jacobian method (`jac_method`)

This sets the Jacobian used. Current Jacobian methods are:

- `SciPyFD` - denotes the use of SciPy's finite difference Jacobian approximations

Default is `SciPyFD`

```
[FITTING]
jac_method: SciPyFD
```

### Numerical method (`num_method`)

Sets the numerical method used in conjunction with the Jacobian method. Currently `scipy.optimize._numdiff.approx_derivative` are the only methods implemented to calculate finite difference Jacobians. Scipy options are given as below:

- `2point` - use the first order accuracy forward or backward difference.
- `3point` - use central difference in interior points and the second order accuracy forward or backward difference near the boundary.
- `cs` - use a complex-step finite difference scheme. This assumes that the user function is real-valued and can be analytically continued to the complex plane. Otherwise, produces bogus results.

Default is `2point`

```
[FITTING]
num_method: 2point
```

## Minimizer Options

This section is used to declare the minimizers to use for each fitting software.

**Warning:** Options set in this section will only have an effect if the related software is also set in *Fitting Options* (either explicitly, or as a default option).

### Bumps (bumps)

**Bumps** is a set of data fitting (and Bayesian uncertainty analysis) routines. It came out of the University of Maryland and NIST as part of the DANSE (*Distributed Data Analysis of Neutron Scattering Experiments*) project.

FitBenchmarking currently supports the Bumps minimizers:

- **Nelder-Mead Simplex** (amoeba)
- **Levenberg-Marquardt** (lm)
- **Quasi-Newton BFGS** (newton)
- **Differential Evolution** (de)
- **MINPACK** (mp) This is a translation of *MINPACK* to Python.

**Links** [GitHub](#) - bumps

The Bumps minimizers are set as follows:

```
[MINIMIZERS]
bumps: amoeba
      lm-bumps
      newton
      de
      mp
```

**Warning:** The additional dependency Bumps must be installed for this to be available; See *Extra dependencies*.

### DFO (dfo)

There are two Derivative-Free Optimization packages, **DFO-LS** and **DFO-GN**. They are derivative free optimization solvers that were developed by Lindon Roberts at the University of Oxford, in conjunction with NAG. They are particularly well suited for solving noisy problems.

FitBenchmarking currently supports the DFO minimizers:

- **Derivative-Free Optimizer for Least Squares** (dfols)
- **Derivative-Free Gauss-Newton Solver** (dfogn)

**Links** [GitHub](#) - DFO-GN [GitHub](#) - DFO-LS

The DFO minimizers are set as follows:

```
[MINIMIZERS]
dfo: dfols
    dfogn
```

**Warning:** Additional dependencies *DFO-GN* and *DFO-LS* must be installed for these to be available; See [Extra dependencies](#).

## GSL (gs1)

The **GNU Scientific Library** is a numerical library that provides a wide range of mathematical routines. We call GSL using the [pyGSL Python interface](#).

The GSL routines have a number of parameters that need to be chosen, often without default suggestions. We have taken the values as used by Mantid.

We provide implementations for the following packages in the [multiminimize](#) and [multifit](#) sections of the library:

- Levenberg-Marquardt (unscaled) (`lmdcr`)
- Levenberg-Marquardt (scaled) (`lmsder`)
- Nelder-Mead Simplex Algorithm (`nmsimplex`)
- Nelder-Mead Simplex Algorithm (version 2) (`nmsimplex2`)
- Polak-Ribiere Conjugate Gradient Algorithm (`conjugate_pr`)
- Fletcher-Reeves Conjugate-Gradient (`conjugate_fr`)
- The vector quasi-Newton BFGS method (`vector_bfgs`)
- The vector quasi-Newton BFGS method (version 2) (`vector_bfgs2`)
- Steepest Descent (`steepest_descent`)

### Links SourceForge PyGSL

The GSL minimizers are set as follows:

```
[MINIMIZERS]
gsl: lmsder
    lmdcr
    nmsimplex
    nmsimplex2
    conjugate_pr
    conjugate_fr
    vector_bfgs
    vector_bfgs2
    steepest_descent
```

**Warning:** The external packages GSL and pygsl must be installed to use these minimizers.

## Mantid (mantid)

Mantid is a framework created to manipulate and analyze neutron scattering and muon spectroscopy data. It has support for a number of minimizers, most of which are from GSL.

- **BFGS** (BFGS)
- **Conjugate gradient (Fletcher-Reeves)** (Conjugate gradient (Fletcher-Reeves imp.))
- **Conjugate gradient (Polak-Ribiere)** (Conjugate gradient (Polak-Ribiere imp.))
- **Damped GaussNewton** (Damped GaussNewton)
- **Levenberg-Marquardt algorithm** (Levenberg-Marquardt)
- **Levenberg-Marquardt MD** (Levenberg-MarquardtMD) - An implementation of Levenberg-Marquardt intended for MD workspaces, where work is divided into chunks to achieve a greater efficiency for a large number of data points.
- **Simplex** (simplex)
- **SteepestDescent** (SteepestDescent)
- **Trust Region** (Trust Region) - An implementation of one of the algorithms available in RALFit.

**Links** [Github](#) - [Mantid Mantid's Fitting Docs](#)

The Mantid minimizers are set as follows:

```
[MINIMIZERS]
mantid: BFGS
        Conjugate gradient (Fletcher-Reeves imp.)
        Conjugate gradient (Polak-Ribiere imp.)
        Damped GaussNewton
        Levenberg-Marquardt
        Levenberg-MarquardtMD
        Simplex
        SteepestDescent
        Trust Region
```

**Warning:** The external package Mantid must be installed to use these minimizers.

## Minuit (minuit)

CERN developed the **Minuit** package to find the minimum value of a multi-parameter function, and also to compute the uncertainties. We interface via the python interface **iminuit** with support for the 2.x series.

- **Minuit's MIGRAD** (minuit)

**Links** [Github](#) - [iminuit](#)

The Minuit minimizers are set as follows:

```
[MINIMIZERS]
minuit: minuit
```

**Warning:** The additional dependency Minuit must be installed for this to be available; See [Extra dependencies](#).

## RALFit (`ralfit`)

RALFit is a nonlinear least-squares solver, the development of which was funded by the EPSRC grant *Least-Squares: Fit for the Future*. RALFit is designed to be able to take advantage of higher order derivatives, although only first order derivatives are currently utilized in FitBenchmarking.

- Gauss-Newton, trust region method (`gn`)
- Hybrid Newton/Gauss-Newton, trust region method (`hybrid`)
- Gauss-Newton, regularization (`gn_reg`)
- Hybrid Newton/Gauss-Newton, regularization (`hybrid_reg`)

**Links** [Github - RALFit](#). RALFit's Documentation on: [Gauss-Newton/Hybrid models](#), [the trust region method](#) and [The regularization method](#)

The RALFit minimizers are set as follows:

```
[MINIMIZERS]
ralfit: gn
      gn_reg
      hybrid
      hybrid_reg
```

**Warning:** The external package RALFit must be installed to use these minimizers.

## SciPy (`scipy`)

SciPy is the standard python package for mathematical software. In particular, we use the `minimize` solver for general minimization problems from the optimization chapter the SciPy's library. Currently we only use the algorithms that do not require Hessian information as inputs.

- [Nelder-Mead algorithm](#) (`Nelder-Mead`)
- [Powell algorithm](#) (`Powell`)
- [Conjugate gradient algorithm](#) (`CG`)
- [BFGS algorithm](#) (`BFGS`)
- [Newton-CG algorithm](#) (`Newton-CG`)
- [L-BFGS-B algorithm](#) (`L-BFGS-B`)
- [Truncated Newton \(TNC\) algorithm](#) (`TNC`)
- [Sequential Least Squares Programming \(SLSQP\)](#)

**Links** [Github - SciPy minimize](#)

The SciPy minimizers are set as follows:

```
[MINIMIZERS]
scipy: Nelder-Mead
      Powell
      CG
      BFGS
      Newton-CG
      L-BFGS-B
      TNC
      SLSQP
```

## SciPy LS (`scipy_ls`)

SciPy is the standard python package for mathematical software. In particular, we use the `least_squares` solver for Least-Squares minimization problems from the optimization chapter the SciPy's library.

- Levenberg-Marquardt with supplied Jacobian (`lm-scipy`) - a wrapper around MINPACK
- Levenberg-Marquardt with no Jacobian passed (`lm-scipy-no-jac`) - as above, but using MINPACK's approximate Jacobian
- The Trust Region Reflective algorithm (`trf`)
- A dogleg algorithm with rectangular trust regions (`dogbox`)

**Links** [Github](#) - [SciPy least\\_squares](#)

The SciPy least squares minimizers are set as follows:

```
[MINIMIZERS]
scipy_ls: lm-scipy-no-jac
          lm-scipy
          trf
          dogbox
```

## Plotting Options

The plotting section contains options to control how results are presented.

### Make plots (`make_plots`)

This allows the user to decide whether or not to create plots during runtime. Toggling this to False will be much faster on large data sets.

Default is True (yes/no can also be used)

```
[PLOTING]
make_plots: yes
```

### Colour scale (`colour_scale`)

Lists thresholds for each colour in the html table. In the example below, this means that values less than 1.1 will have the top ranking (brightest) and values over 3 will show as the worst ranking (deep red).

Default thresholds are 1.1, 1.33, 1.75, 3, and inf

```
[PLOTING]
colour_scale: 1.1, #fef0d9
              1.33, #fdcc8a
              1.75, #fc8d59
              3, #e34a33
              inf, #b30000
```

### Comparison mode (`comparison_mode`)

This selects the mode for displaying values in the resulting table options are `abs`, `rel`, `both`:

- `abs` indicates that the absolute values should be displayed
- `rel` indicates that the values should all be relative to the best result
- `both` will show data in the form “abs (rel)”

Default is `both`

```
[PLOTING]
comparison_mode: both
```

### Table type (`table_type`)

This selects the types of tables to be produced in FitBenchmarking. Options are:

- `acc` indicates that the resulting table should contain the chi squared values for each of the minimizers.
- `runtime` indicates that the resulting table should contain the runtime values for each of the minimizers.
- `compare` indicates that the resulting table should contain both the chi squared value and runtime values for each of the minimizers. The tables produced have the chi squared values on the top line of the cell and the runtime on the bottom line of the cell.
- `local_min` indicates that the resulting table should return true if a local minimum was found, or false otherwise. The value of  $\frac{\|J^T r\|}{\|r\|}$  for those parameters is also returned. The output looks like `{bool}` (`norm_value`), and the colouring is red for false and cream for true.

Default is `acc`, `runtime`, `compare`, and `local_min`.

```
[PLOTING]
table_type: acc
           runtime
           compare
           local_min
```

### Results directory (`results_dir`)

This is used to select where the output should be saved

Default is `fitbenchmarking_results`

```
[PLOTING]
results_dir: fitbenchmarking_results
```

## Logging Options

The logging section contains options to control how fitbenchmarking logs information.

### Logging file name (`file_name`)

This specifies the file path to write the logs to.

Default is `fitbenchmarking.log`

```
[LOGGING]
file_name: fitbenchmarking.log
```

### Logging append (`append`)

This specifies whether to log in append mode or not. If append mode is active, the log file will be extended with each subsequent run, otherwise the log will be cleared after each run.

Default is `False` (`yes/no` can also be used)

```
[LOGGING]
append: no
```

### Logging level (`level`)

This specifies the minimum level of logging to display on console during runtime. Options are (from most logging to least):

- `NOTSET`
- `DEBUG`
- `INFO`
- `WARNING`
- `ERROR`
- `CRITICAL`

Default is `INFO`

```
[LOGGING]
level: INFO
```

### Logging external output (`external_output`)

This selects the amount of information displayed from third-parties. There are 3 options:

- **`display`: Print information from third-parties to the stdout stream** during a run.
- `log_only`: Print information to the log file but not the stdout stream.
- `debug`: Do not intercept third-party use of output streams.

Default is `log_only`

```
[LOGGING]
append: log_only
```

The options file must be a `.ini` formatted file ([see here](#)). Some example files can be found in the `examples` folder of the source, which is also available to download at [Benchmark problems](#).

## Problem Definition Files

In FitBenchmarking, problems can be defined using several file formats. The `examples/benchmark_problems` directory holds a collection of these that can be used for reference.

More information on the supported formats can be found on the following pages.

## CUTEst File Format

The CUTEst file format in FitBenchmarking is a slight modification of the [SIF format](#). Specifically, the data points, errors, and the number of variables must be defined in such a way to allow FitBenchmarking to access this data; see below. In FitBenchmarking, all SIF files are assumed to be CUTEst problems.

These problems are a subset of the problems in the [CUTEr/st Test Problem Set](#), which may have been adapted to work with FitBenchmarking.

The SIF file format is very powerful, and CUTEst will work with arbitrary variable names, however for FitBenchmarking, these must match a set of expected variable names.

## Modifications to the SIF format for FitBenchmarking problems

In order for FitBenchmarking to access the data, the SIF files must be written using the following conventions.

## Defining Data

Data should be defined using the format:

```
RE X<idx>      <val_x>
RE Y<idx>      <val_y>
RE E<idx>      <val_error>
```

where `<idx>` is the index of the data point, and `<val_x>`, `<val_y>`, and `<val_error>` are the values attributed to it.

Usually, `<idx>` will range from 1 to `<num_x>`, with that defined as:

```
IE M           <num_x>
```

If `<idx>` does not start at 1, the following lines can be used to specify the range:

```
IE MLOWER      <min_idx>
IE MUPPER      <max_idx>
```

## Defining Variables

For the free variables in functions, we use the convention:

IE N	<num_vars>
------	------------

This is used to tell FitBenchmarking how many degrees of freedom we need to fit. In some cases variables will be vectors, and the number of degrees of freedom will be greater, most problems use NVEC as a convention to input the number of vectors.

## Native File Format

In FitBenchmarking, the native file format is used to read Mantid and SASView problems.

In this format, data is separated from the function. This allows running the same dataset against multiple different models to assess which is the most appropriate.

An example of a native problem is:

```
# FitBenchmark Problem#
software = 'Mantid'
name = 'HIFI 113856'
description = 'An example of (full) detector calibration for the HIFI instrument'
input_file = 'HIFIGrouped_113856.txt'
function = 'name=FlatBackground,A0=0;name=DynamicKuboToyabe,BinWidth=0.
↪050000000000000003,Asym=0.2,Delta=0.2,Field=0,Nu=0.1'
fit_ranges = {'x': [0.1, 16]}
```

This example shows the basic structure in which the file starts with a comment indicating it is a FitBenchmark problem followed by key-value pairs. Available keys are described below:

**software** Either ‘Mantid’ or ‘SasView’ (case insensitive).

This defines whether to use Mantid or SasView to generate the model. The ‘Mantid’ software also supports Mantid’s MultiFit functionality, which requires the parameters listed here to be defined slightly differently. More information can be found in *Native File Format (Mantid MultiFit)*.

**name** The name of the problem.

This will be used as a unique reference so should not match other names in the dataset. A sanitised version of this name will also be used in filenames with commas stripped out and spaces replaced by underscores.

**description** A description of the dataset.

This is currently unused within FitBenchmarking, but can be useful for explaining problems.

**input\_file** The name of a file containing the data to fit.

The file must be in a subdirectory named *data\_files*, and should have the form:

header
x1 y1 [e1]
x2 y2 [e2]
...

Mantid uses the convention of # X Y E as the header and SASView uses the convention <X> <Y> <E>, although neither of these are enforced. The error column is optional in this format.

**function** This defines the function that will be used as a model for the fitting.

Inside FitBenchmarking, this is passed on to the specified software and, as such, the format is specific to the package we wish to use, as described below.

### Mantid

A Mantid function consists of one or more base functions separated by a semicolon. This allows for a powerful way of describing problems, which may have multiple components such as more than one Gaussian and a linear background.

To use one of the base functions in Mantid, please see the list available [here](#).

*Note: Any non-standard arguments (e.g. ties, constraints, fixes, ...) will only work with Mantid fitting software. Using other minimizers to fit these problems will result in the non-standard arguments being ignored.*

### SASView

SASView functions can be any of [these](#).

**fit\_ranges** This specifies the region to be fit.

It takes the form shown in the example, where the first number is the minimum in the range and the second is the maximum.

## Native File Format (Mantid MultiFit)

As part of the Mantid parsing we also offer limited support for Mantid's [MultiFit](#) functionality.

Here we outline how to use Mantid's MultiFit with FitBenchmarking, in which some options differ from the standard *Native File Format*.

**Warning:** Due to the way Mantid uses ties (a central feature of MultiFit), MultiFit problems can only be used with Mantid minimizers.

In this format, data is separated from the function. This allows running the same dataset against multiple different models to assess which is the most appropriate.

An example of a multifit problem is:

```
# FitBenchmark Problem
software = 'Mantid'
name = 'MUSR62260'
description = 'Calibration data for mu SR instrument. Run 62260.'
input_file = ['MUSR62260_bkwd.txt', 'MUSR62260_bottom.txt', 'MUSR62260_fwd.txt',
↪ 'MUSR62260_top.txt']
function = 'name=FlatBackground,A0=0; name=GausOsc,A=0.2,Sigma=0.2,Frequency=1,Phi=0'
ties = ['f1.Sigma', 'f1.Frequency']
fit_ranges = [{'x': [0.1, 15.0]}, {'x': [0.1, 15.0]}, {'x': [0.1, 15.0]}, {'x': [0.1, ↪
↪ 15.0]}]
```

Below we outline the differences between this and the *Native File Format*.

**software** Must be *Mantid*.

**name** As in *Native File Format*.

**description** As in *Native File Format*.

**input\_file** As in *Native File Format*, but you must pass in a list of data files (see above example).

**function** As in *Native File Format*.

When fitting, this function will be used for each of the `input_files` given simultaneously.

**ties** This entry is used to define global variables by tying a variable across input files.

Each string in the list should reference a parameter in the function using Mantid's convention of `f<i>.<name>` where `i` is the position of the function in the function string, and `name` is the global parameter.

For example to run a fit which has a shared background and peak height, the function and ties fields might look like:

```
function='name=LinearBackground, A0=0, A1=0; name=Gaussian, Height=0.01,   
↳PeakCentre=0.00037, Sigma=1e-05'  
ties=['f0.A0', 'f0.A1', 'f1.Height']
```

**fit\_ranges** As in *Native File Format*.

## NIST Format

The NIST file format is based on the [nonlinear regression](#) problems found at the [NIST Standard Reference Database](#). Documentation and background of these problems can be found [here](#).

We note that FitBenchmarking recognizes the NIST file type by checking the first line of the file starts with *# NIST/ITL StRD*.

## Detecting problem file type

FitBenchmarking detects which parser to use in two ways:

- For the CUTEst file format we check that the extension of the data file is *sif*
- For native and NIST file formats we check the first line of the file
  - *# FitBenchmark Problem* corresponds to the native format
  - *# NIST/ITL StRD* corresponds to the NIST format

## FitBenchmarking Tests

The tests for FitBenchmarking require `pytest>=3.6`. We have split the tests into two categories:

- `default`: denotes tests involving pip installable *software packages*,
- `all`: in addition to `default`, also runs tests on *external packages*.

## Unit tests

Each module directory in FitBenchmarking (e.g. `controllers`) contains a test folder which has the unit tests for that module. One can run the tests for a module by:

```
pytest fitbenchmarking/<MODULE_DIR> --test-type <TEST_TYPE>
```

where `<TEST_TYPE>` is either `default` or `all`. If `--test-type` argument is not given the default is `all`

## System tests

System tests can be found in the `systests` directory in FitBenchmarking. As with the unit tests, these can be run via:

```
pytest fitbenchmarking/systests --test-type <TEST_TYPE>
```

**Warning:** The files in the expected results subdirectory of the `systests` directory are generated to check consistency in our automated tests via [GitHub Actions](#). They might not pass on your local operating system due to, for example, different software package versions being installed.

## GitHub Actions tests

The scripts that are used for our automated tests via [GitHub Actions](#) are located in the `ci` folder. These give an example of how to run both the unit and system tests within FitBenchmarking.

## Known Issues

This page is used to detail any known issues or unexpected behaviour within the software.

## Problem-Format/Software Combinations

When comparing minimizer options from one software package (e.g., comparing all *scipy* *ls* minimizers), we are not aware of any issues. However, the general problem of comparing minimizers from multiple software packages, and with different problem-formats, on truly equal terms is harder to achieve.

The following list details all cases where we are aware of a possible bias:

- **Using native FitBenchmarking problems with the Mantid software and fitting using Mantid.**

With Mantid data, the function evaluation is slightly faster for Mantid minimizers than for all other minimizers. You should account for this when interpreting the results obtained in this case.

- **Using ties in native FitBenchmarking problems with the Mantid software.**

This is not available for non-Mantid fitting software. In these cases, a warning will be generated.

In all cases, the stopping criterion of each minimizer is set to the default value. An experienced user can change this.

## 1.1.3 Extending FitBenchmarking Documentation

FitBenchmarking is designed to be easily extendable to add new features to the software. Below we outline instructions for doing this.

### Adding Fitting Problem Definition Types

The problem definition types we currently support are listed in the page [Problem Definition Files](#).

To add a new fitting problem type, the parser name must be derived from the file to be parsed. For current file formats by including it as the first line in the file. e.g. `# Fitbenchmark Problem or NIST/ITL StRD`, or by checking the file extension.

To add a new fitting problem definition type, complete the following steps:

1. Give the format a name (<format\_name>). This should be a single word or string of alphanumeric characters, and must be unique ignoring case.
2. Create a parser in the `fitbenchmarking/parsing` directory. This parser must satisfy the following:
  - The filename should be of the form "`<format_name>_parser.py`"
  - The parser must be a subclass of the base parser, `Parser`
  - The parser must implement `parse(self)` method which takes only `self` and returns a populated `FittingProblem`

Note: File opening and closing is handled automatically.

3. If the format is unable to accommodate the current convention of starting with the <format\_name>, you will need to edit `ParserFactory`. This should be done in such a way that the type is inferred from the file.
4. Create the files to test the new parser. Automated tests are run against the parsers in FitBenchmarking, which work by using test files in `fitbenchmarking/parsing/tests/<format_name>`. In the `test_parsers.generate_test_cases()` function, one needs to add the new parser's name to the variable `formats`, based on whether or not the parser is pip installable. There are 2 types of test files needed:
  - **Generic tests:** `fitbenchmarking/parsing/tests/expected/` contains two files, `basic.json` and `start_end_x.json`. You must write two input files in the new file format, which will be parsed using the new parser to check that the entries in the generated fitting problem match the values expected. These must be called `basic.<ext>`, `start_end_x.<ext>`, where <ext> is the extension of the new file format, and they must be placed in `fitbenchmarking/parsing/tests/<format_name>/`.
  - **Function tests:** A file named `function_evaluations.json` must also be provided in `fitbenchmarking/parsing/tests/<format_name>/`, which tests that the function evaluation behaves as expected. This file must be in json format and contain a string of the form:

```
{
  "file_name1": [[x11,x12,...,x1n], [param11, param12,...,param1m], [result11,
↵result12,...,result1n]],
                  [[x21,x22,...,x2n], [param21, param22,...,param2m], [result21,
↵result22,...,result2n]],
                  ...],
  "file_name2": [...],
  ...}
```

The test will then parse the files `file_name<x>` in turn evaluate the function at the given `xx` values and params. If the result is not suitably close to the specified value the test will fail.

- **Integration tests:** Add an example to the directory `fitbenchmarking/mock_problems/all_parser_set/`. This will be used to verify that the problem can be run by scipy, and that accuracy results do not change unexpectedly in future updates. If the software used for the new parser is pip-installable, and the installation is done via FitBenchmarking's `setup.py`, then add the same example to `fitbenchmarking/mock_problems/default_parsers/`.

As part of this, the `systests/expected_results/all_parsers.txt` file, and if necessary the `systests/expected_results/default_parsers.txt` file, will need to be updated. This is done by running the systests:

```
pytest fitbenchmarking/systests
```

and then checking that the only difference between the results table and the expected value is the new problem, and updating the expected file with the result.

5. Verify that your tests have been found and are successful by running `pytest -vv fitbenchmarking/parsing/tests/test_parsers.py`

## Adding new Jacobians

*This section describes how to add further methods to approximate the Jacobian within FitBenchmarking*

In order to add a new Jacobian evaluation method, you will need to:

1. Give the Jacobian a name using the following convention `<jac_method>` and `<num_method>`. An example could be `scipy_fd` for `<jac_method>` and `2point` for `<num_method>` which would call the SciPy's 2-point finite difference approximation.
2. Create `fitbenchmarking/jacobian/<jac_method>_<num_method>_jacobian.py`, which contains a new subclass of `Jacobian`. Then implement the method `eval()`, which evaluates the Jacobian. The numerical method is set sequentially within `loop_over_jacobians()` by using the `method` attribute of the class.
3. Document the available Jacobians by:
  - updating the docs for *Fitting Options*
  - updating options via *FitBenchmarking Options* and *Adding new Options*
  - updating any example files in the `example` directory
4. Create tests for the Jacobian evaluation in `fitbenchmarking/jacobian/tests/test_jacobians.py`.

## Adding Fitting Software

Controllers are used to interface FitBenchmarking with the various fitting packages. Controllers are responsible for converting the problem into a format that the fitting software can use, and converting the result back to a standardised format (numpy arrays). As well as this, the controller must be written so that the fitting is separated from the preparation wherever possible in order to give accurate timings for the fitting. Supported controllers are found in `fitbenchmarking/controllers/`.

In order to add a new controller, you will need to:

1. Give the software a name `<software_name>`. This will be used by users when selecting this software.
2. Create `fitbenchmarking/controllers/<software_name>_controller.py` which contains a new subclass of `Controller`. This should implement four functions:
  - `Controller.__init__()`  
Initialise anything that is needed specifically for the software, do any work that can be done without knowledge of the minimizer to use, or function to fit, and call `super(<software_name>Controller, self).__init__(problem)` (the base class's `__init__` implementation). In this function, you must initialize the a dictionary, `self.algorithm_type`, such that the **keys** are given by:
    - `all` - all minimizers
    - `ls` - least-squares fitting algorithms
    - `deriv_free` - derivative free algorithms (these are algorithms that cannot use derivative information. For example, the Simplex method in Mantid does not require Jacobians, and so is derivative free. However, `lm-scipy-no-jac` in `scipy_ls` is designed to use derivatives, but calculates an approximation internally if one is not supplied.)
    - `general` - minimizers which solve a generic  $\min f(x)$ .

The **values** of the dictionary are given as a list of minimizers for that specific controller that fit into each of the above categories. See for example the `GSL` controller.

**Parameters** `problem` (*FittingProblem*) – The parsed problem

- `Controller.setup()`

Setup the specifics of the fitting.

Anything needed for “fit” that can only be done after knowing the minimizer to use and the function to fit should be done here. Any variables needed should be saved to self (as class attributes).

- `Controller.fit()`

Run the fitting.

This will be timed so should include only what is needed to fit the data.

- `Controller.cleanup()`

Retrieve the result as a numpy array and store results.

Convert the fitted parameters into a numpy array, saved to `self.final_params`, and store the error flag as `self.flag`.

The flag corresponds to the following messages:

**flag()**

0: *Successfully converged*

1: *Software reported maximum number of iterations exceeded*

2: *Software run but didn't converge to solution*

3: *Software raised an exception*

3. Add the new software to the default options, following the instructions in [Adding new Options](#).

Your new software is now fully hooked in with FitBenchmarking, and you can compare it with the current software. You are encouraged to contribute this to the repository so that other can use this package. To do this need to follow our [Coding Standards](#) and our [Git Workflow](#), and you'll also need to

4. Document the available minimizers (see [Fitting Options](#), [Minimizer Options](#)). Note: make sure that you use `<software_name>` in these places so that the software links in the HTML tables link correctly to the documentation. Add the software to `examples/all_software.ini`.
5. Create tests for the software in `fitbenchmarking/controllers/tests/test_controllers.py`. If the package is pip installable then add the tests to the `DefaultControllerTests` class and if not add to the `ExternalControllerTests` class. Unless the new controller is more complicated than the currently available controllers, this can be done by following the example of the others.
6. If pip installable add to `install_requires` in `setup.py` otherwise document the installation procedure in [Installing External Software](#). Update the `FullInstall` Docker Container – the main developers will help you with this step.

---

**Note:** For ease of maintenance, please add new controllers to a list of software in alphabetical order.

---

## The `FittingProblem` and Jacobian classes

When adding new minimizers, you will find it helpful to make use of the following members of the *FittingProblem* and subclasses of *Jacobian* classes:

**class** fitbenchmarking.jacobian.base\_jacobian.**Jacobian** (*problem*)

Base class for Jacobian.

**eval** (*params, func=None, \*\*kwargs*)

Evaluates Jacobian

#### Parameters

- **params** (*list*) – The parameter values to find the Jacobian at
- **func** (*Callable, optional*) – Function to find the Jacobian for, defaults to problem.eval\_r

**Returns** Approximation of the Jacobian

**Return type** numpy array

**class** fitbenchmarking.parsing.fitting\_problem.**FittingProblem** (*options*)

Definition of a fitting problem, which will be populated by a parser from a problem definition file.

This defines a fitting problem where, given a set of  $n$  data points  $(x_i, y_i)$ , associated errors  $e_i$ , and a model function  $f(x, p)$ , we find the optimal parameters in the least-squares sense by solving:

$$\min_p \sum_{i=1}^n \left( \frac{y_i - f(x_i, p)}{e_i} \right)^2$$

where  $p$  is a vector of length  $m$ , and we start from a given initial guess for the optimal parameters.

**data\_e** = **None**

*numpy array* The errors

**data\_x** = **None**

*numpy array* The x-data

**data\_y** = **None**

*numpy array* The y-data

**eval\_f** (*params, x=None*)

Function evaluation method

#### Parameters

- **params** (*list*) – parameter value(s)
- **x** (*numpy array*) – x data values or None, if None this uses self.data\_x

**Returns** y data values evaluated from the function of the problem

**Return type** numpy array

**eval\_r** (*params, x=None, y=None, e=None*)

Calculate residuals and weight them if using errors

#### Parameters

- **params** (*list*) – The parameters to calculate residuals for
- **x** (*numpy array, optional*) – x data points, defaults to self.data\_x
- **y** (*numpy array, optional*) – y data points, defaults to self.data\_y
- **e** (*numpy array, optional*) – error at each data point, defaults to self.data\_e

**Returns** The residuals for the datapoints at the given parameters

**Return type** numpy array

**eval\_r\_norm** (*params*, *x=None*, *y=None*, *e=None*)

Evaluate the square of the L2 norm of the residuals

**Parameters**

- **params** (*list*) – The parameters to calculate residuals for
- **x** (*numpy array*, *optional*) – x data points, defaults to self.data\_x
- **y** (*numpy array*, *optional*) – y data points, defaults to self.data\_y
- **e** (*numpy array*, *optional*) – error at each data point, defaults to self.data\_e

**Returns** The sum of squares of residuals for the datapoints at the given parameters

**Return type** numpy array

**starting\_values = None**

*list of dict* Starting values of the fitting parameters

e.g. [{p1\_name: p1\_val1, p2\_name: p2\_val1, ...}, {p1\_name: p1\_val2, .  
..}, ...]

## Adding new Options

Default options are set in *Options*. These can be changed using an *.ini* formatted file ([see here](#)). *FitBenchmarking Options* gives examples of how this is currently implemented in FitBenchmarking.

To add a new option to one of the five sections FITTING, MINIMIZERS, PLOTTING and LOGGING, follow the steps below. We'll illustrate the steps using <SECTION>, which could be any of the sections above.

1. Amend the dictionary DEFAULT\_<SECTION> in *Options* to include any new default options.
2. If the option amended is to be checked for validity, add accepted option values to the VALID\_<SECTION> dictionary in *Options*.
3. Using the *read\_value()* function, add your new option to the class, following the examples already in *Options*. The syntax of this function is:

*Options.read\_value* (*func*, *option*)

Helper function which loads in the value

**Parameters**

- **func** (*callable*) – configparser function
- **option** (*str*) – option to be read for file

**Returns** value of the option

**Return type** list/str/int/bool

4. Add tests in the following way:
  - Each of the sections has it's own test file, for example, test\_option\_fitting has tests for the FITTING section.
  - Add default tests to the class called <SECTION>OptionTests.
  - Add user defined tests to the class called User<SECTION>OptionTests. These should check that the user added option is valid and raise an OptionsError if not.
5. Add relevant documentation for the new option in *FitBenchmarking Options*.

Adding new Sections is also possible. To do this you'll need to extend VALID\_SECTIONS with the new section, and follow the same structure as the other SECTIONS.

## Amending FitBenchmarking Outputs

Here we describe how to add ways of displaying results obtained by FitBenchmarking.

### Adding further Tables

The tables that are currently supported are listed in *FitBenchmarking Output*. In order to add a new table, you will need to:

1. Give the table a name `<table_name>`. This will be used by users when selecting this output from FitBenchmarking.
2. Create `fitbenchmarking/results_processing/<table_name>_table.py` which contains a new subclass of *Table*. The main functions to change are:

- `Table.get_values(results_dict)`  
Gets the main values to be reported in the tables  
**Parameters** `results_dict` (*dictionary*) – dictionary containing results where the keys are the problem sets and the values are lists of results objects  
**Returns** tuple of dictionaries which contain the main values in the tables  
**Return type** tuple
- `Table.display_str(results)`  
Function which converts the results from `get_values()` into a string representation to be used in the tables. Base class implementation takes the absolute and relative values and uses `self.output_string_type` as a template for the string format. This can be overwritten to adequately display the results.  
**Parameters** `results` (*tuple*) – tuple containing absolute and relative values  
**Returns** dictionary containing the string representation of the values in the table.  
**Return type** dict

Additional functions to be changed are:

- `Table.get_colour(results)`  
Converts the result from `get_values()` into the HTML colours used in the tables. The base class implementation, for example, uses the relative results and `colour_scale` within *Options*.  
**Parameters** `results` (*tuple*) – tuple containing absolute and relative values  
**Returns** dictionary containing HTML colours for the table  
**Return type** dict
  - `Table.colour_highlight(value, colour)`  
Takes the HTML colour values from `get_colour()` and maps it over the HTML table using the Pandas style mapper.  
**Parameters**
    - `value` (*pandas.core.series.Series*) – Row data from the pandas array
    - `colour` (*dict*) – dictionary containing error codes from the minimizers**Returns** list of HTML colours  
**Return type** list
3. Extend the `table_type` option in PLOTTING following the instructions in *Adding new Options*.
  4. Document the new table class is by setting the docstring to be the description of the table, and add to *FitBenchmarking Output*.
  5. Create tests for the table in `fitbenchmarking/results_processing/tests/test_tables.py`. This is done by generating, ahead of time using the results problems constructed in `fitbenchmarking/results_processing/tests/test_tables.generate_mock_results`, both a HTML and

text table output as the expected result and adding the new table name to the global variable `SORTED_TABLE_NAMES`. This will automatically run the comparison tests for the tables.

## HTML/CSS Templates

In FitBenchmarking, templates are used to generate all html output files, and can be found in the *fitbenchmarking/templates* directory.

### HTML Templates

HTML templates allow for easily adaptable outputs. In the simple case of rearranging the page or making static changes (changes that don't vary with results), this can be done by editing the template, and it will appear in every subsequent HTML page.

For more complicated changes such as adding information that is page dependent, we use [jinja](#). Jinja allows code to be added to templates which can contain conditional blocks, replicated blocks, or substitutions for values from python.

Changes to what information is displayed in the page will usually involve editing the python source code to ensure you pass the appropriate values to jinja. In practice the amount of effort required to do this can range from one line of code to many depending on the object to be added.

### CSS Templates

The CSS files contained in the *templates* directory are used to format the HTML pages.

If you wish to change the style of the output results (e.g. to match a website), this is where they can be changed.

## 1.1.4 FitBenchmarking Contributor Documentation

Thank you for being a contributor to the FitBenchmarking project. Here you will find all you need in order to get started.

### Coding Standards

All code submitted must meet certain standards, outlined below, before it can be merged into the master branch. It is the contributor's job to ensure that the following is satisfied, and the reviewer's role to check that these guidelines have been followed.

The workflow to be used for submitting new code/issues is described in *Git Workflow*.

### Linting

All pull requests should be [PEP 8 compliant](#). We suggest running code through [flake8](#) and [pylint](#) before submitting to check for this.

### Documentation

Any new code will be accepted only if the documentation, written in [sphinx](#) and found in *docs/*, has been updated accordingly, and the docstrings in the code have been updated where necessary.

## Testing

All tests should pass before submitting code. Tests are written using `pytest`.

The following should be checked before any code is merged:

- Function: Does the change do what it's supposed to?
- Tests: Does it pass? Is there adequate coverage for new code?
- Style: Is the coding style consistent? Is anything overly confusing?
- Documentation: Is there a suitable change to documentation for this change?

## Logging

Code should use the logging in `utils.log`. This uses Python's built in `logging module`, and should be used in place of any print statements to ensure that persistent logs are kept after runs.

## Git Workflow

### Issues

All new work should start with a new [GitHub issue](#) being filed. This should clearly explain what the change to the code will do. There are templates for *Bug report*, *Documentation*, *Feature request* and *Test* issues on GitHub, and you can also open a blank issue if none of these work.

If issues help meet a piece of work agreed with our funders, it is linked to the appropriate [Milestone](#) in GitHub.

### Adding new code

The first step in adding new code is to create a branch, where the work will be done. Branches should be named according to the convention `<nnn>-description_of_work`, where `<nnn>` is the issue number.

Please ensure our [Coding Standards](#) are adhered to throughout the branch.

When you think your new code is ready to be merged into the codebase, you should open a pull request to master. The description should contain the words *Fixes #<nnn>*, where `<nnn>` is the issue number; this will ensure the issue is closed when the code is merged into master. At this point the automated tests will trigger, and you can see if the code passes on an independent system.

Sometimes it is desirable to open a pull request when the code is not quite ready to be merged. This is a good idea, for example, if you want to get an early opinion on a coding descision. If this is the case, you should mark the pull request as a *draft* on GitHub.

Once the work is ready to be reviewed, you may want to assign a reviewer, if you think someone would be well suited to review this change. It is worth messaging them on, for example, Slack, as well as requesting their review on GitHub.


### Release branches

Branches named *release-\** are protected branches; code must be approved by a reviewer before being added to them, and automated tests will be run on pull requests to these branches. If code is to be included in the release, it must be pulled into this branch from master.

Release branches should have the format *release-major.minor.x*, starting from *release-0.1.x*. When the code is released, we will tag that commit with a version number *v0.1.0*. Any hotfixes will increment *x* by one, and a new tag will be created accordingly. If at some point we don't want to provide hot-fixes to a given minor release, then the corresponding release branch may be deleted.

All changes must be initially merged into master. There is a *backport-candidate* label, which must be put on pull requests that in addition must be merged into the release branch.

The recommended mechanism for merging PRs labelled with *backport-candidate* into master is to use the *Squash and merge* commit option:



After such a PR (with label *backport-candidate*) has been merged into master, it must then subsequently be merged into the release branch as soon as possible. It is the responsibility of the person merging such PRs to also perform this merge into the release branch.

This can be done using `git cherry pick`:

```
git checkout release-x.x.x
git cherry-pick -x <commit-id>
git push
```

If you didn't do a squash merge, you will have to cherry pick each commit in the PR that this being backported separately.

If you encounter problems with cherry picking into release branch please don't hesitate to speak to an experienced member of the FitBenchmarking team.

## Creating a release

In order to create a new release for FitBenchmarking, there are a few manual steps. These have been streamlined as much as possible.

First checkout the branch to create the release from. Releases should only be made from a *release-x-x* branch, not a development branch or master.

From the root of the repo run the “ci/prepare\_and\_tag\_release.sh” script with the new version number. The version number will be rejected if it is not of the expected form. We expect a “v” followed by the major, minor, and patch numbers, and an optional numbered label to mark the type of release.

**Possible labels are:**

- -beta (release for testing)
- -rc (release candidate)

This script will create a new commit with the docs and testing links updated, tag it, and revert the change in a second commit so that the links point back to the latest versions.

These commits will need to be pushed to github.

Finally, you will need to create a release on github. This can be done by navigating to the releases page, selecting new release and typing in the tag that was given to the release (it should tell you the tag exists at this point!).

For example, For a first beta version of release 0.1.0, one would run:

```
git checkout release-0.1.x
ci/prepare_and_tag_release.sh v0.1.0-beta1
git push origin v0.1.0-beta1
```

<And make the release on GitHub>

## Repository Structure

At the root of the repository there are six directories:

- build
- ci
- Docker
- docs
- examples
- fitbenchmarking

### Build (build)

This directory contains scripts to allow for installing packages such as Mantid through setuptools.

### CI (ci)

We use [GitHub Actions](#) to run our Continuous Integration tests. The specific tests run are defined in a series of Bash scripts, which are stored in this folder.

### Docker (Docker)

The continuous integration process on Github Actions currently run on a Docker container, and this directory holds the Dockerfiles. The Docker containers are hosted on Dockerhub.

`BasicInstall` holds the Dockerfile that is pushed to the repository `fitbenchmarking/fitbenchmarking-deps`, the latest of which should have the tag `latest`. This contains a basic Ubuntu install, with just the minimal infrastructure needed to run the tests.

`FullInstall` holds the Dockerfile that is pushed to the repository `fitbenchmarking/fitbenchmarking-extras`, the latest of which should have the tag `latest`. This is built on top of the basic container, and includes optional third party software that FitBenchmarking can work with.

The versions on Docker Hub can be updated from a connected account by issuing the commands:

```
docker build --tag fitbenchmarking-<type>:<tag>
docker tag fitbenchmarking-<type>:<tag> fitbenchmarking/fitbenchmarking-<type>:<tag>
docker push fitbenchmarking/fitbenchmarking-<type>:<tag>
```

where `<type>` is, e.g., `deps` or `extras`, and `<tag>` is, e.g., `latest`.

### Documentation (docs)

The documentation for FitBenchmarking is stored in this folder under `source`. A local copy of the documentation can be build using `make html` in the `build` directory.

### Examples (examples)

`Examples` is used to store sample problem files and options files.

A collection of problem files can be found organised into datasets within the `examples/benchmark_problems/` directory.

An options template file and a prewritten options file to run a full set of minimizers is also made available in the `examples/` directory.

### FitBenchmarking Package (fitbenchmarking)

The main FitBenchmarking package is split across several directories with the intention that it is easily extensible. The majority of these directories are source code, with exceptions being `Templates`, `Mock Problems`, and `System Tests`.

Each file that contains source code will have a directory inside it called `tests`, which contains all of the tests for that section of the code.

### Benchmark Problems (benchmark\_problems)

This is a copy of the NIST benchmark problems from `examples/benchmark_problems`. These are the default problems that are run if no problem is passed to the `fitbenchmarking` command, and is copied here so that it is distributed with the package when installed using, say, `pip`.

## CLI (`cli`)

The CLI directory is used to define all of the entry points into the software. Currently this is just the main *fitbenchmarking* command.

## Controllers (`controllers`)

In FitBenchmarking, controllers are used to interface with third party minimizers.

The controllers directory holds a base controller class (*Controller*) and all its subclasses, each of which of which interfaces with a different fitting package. The controllers currently implemented are described in *Fitting Options* and *Minimizer Options*.

New controllers can be added by following the instructions in *Adding Fitting Software*.

## Core (`core`)

This directory holds all code central to FitBenchmarking. For example, this manages calling the correct parser and controller, as well as compiling the results into a data object.

## Jacobian (`jacobian`)

This directory holds the *Jacobian* class, and subclasses, which are used by the controllers to approximate derivatives. Currently available options are described in *Fitting Options*, and new numerical Jacobians can be added by following the instructions in *Adding new Jacobians*.

## Mock Problems (`mock_problems`)

The mock problems are used in some tests where full problem files are required. These are here so that the examples can be moved without breaking the tests.

## Parsing (`parsing`)

The parsers read raw data into a format that FitBenchmarking can use. This directory holds a base parser, *Parser* and all its subclasses. Each subclass implements a parser for a specific file format. Information about existing parsers can be found in *Problem Definition Files*, and see *Adding Fitting Problem Definition Types* for instructions on extending these.

## Results Processing (`results_processing`)

All files that are used to generate output are stored here. This includes index pages, text/html tables, plots, and support pages. Information about the tables we provide can be found in *FitBenchmarking Output*, and instructions on how to add further tables and change the formatting of the displayed information can be found in *Amending FitBenchmarking Outputs*.

### System Tests (`systests`)

FitBenchmarking runs regression tests to check that the accuracy results do not change with updates to the code. These tests run fitbenchmarking against a subset of problems (in subdirectories of `/fitbenchmarking/mock_problems/`), and compares the text output with that stored in `/fitbenchmarking/systests/expected_results/`.

### Templates (`templates`)

Files in Templates are used to create the resulting html pages, and are a combination of css, html, and python files. The python files in this directory are scripts to update the css and html assets. Instructions on updating these can be found in *HTML/CSS Templates*.

### Utils (`utils`)

This directory contains utility functions that do not fit into the above sections. This includes the *Options* class (see *Adding new Options* to extend) and *FittingResult* class, as well as functions for logging and directory creation.

## fitbenchmarking package

### Subpackages

#### fitbenchmarking.cli package

### Submodules

#### fitbenchmarking.cli.exception\_handler module

This file holds an exception handler decorator that should wrap all cli functions to provide cleaner output.

`fitbenchmarking.cli.exception_handler.exception_handler(f)`

Decorator to simplify handling exceptions within FitBenchmarking This will strip off any ‘debug’ inputs.

**Parameters** *f* (*python function*) – The function to wrap

#### fitbenchmarking.cli.main module

This is the main entry point into the FitBenchmarking software package. For more information on usage type `fitbenchmarking -help` or for more general information, see the online docs at [docs.fitbenchmarking.com](https://docs.fitbenchmarking.com).

`fitbenchmarking.cli.main.get_parser()`

Creates and returns a parser for the args.

**Returns** configured argument parser

**Return type** `argparse.ArgumentParser`

`fitbenchmarking.cli.main.main()`

Entry point to be exposed as the *fitbenchmarking* command.

`fitbenchmarking.cli.main.run(problem_sets, options_file="", debug=False)`

Run benchmarking for the problems sets and options file given. Opens a webbrowser to the results\_index after fitting.

### Parameters

- **problem\_sets** (*list of str*) – The paths to directories containing problem\_sets
- **options\_file** (*str, optional*) – The path to an options file, defaults to “
- **debug** (*bool*) – Enable debugging output

## Module contents

### fitbenchmarking.controllers package

### Submodules

#### fitbenchmarking.controllers.base\_controller module

Implements the base class for the fitting software controllers.

**class** fitbenchmarking.controllers.base\_controller.**Controller** (*problem*)  
Bases: object

Base class for all fitting software controllers. These controllers are intended to be the only interface into the fitting software, and should do so by implementing the abstract classes defined here.

**VALID\_FLAGS** = [0, 1, 2, 3]

**check\_attributes** ()

A helper function which checks all required attributes are set in software controllers

**cleanup** ()

Retrieve the result as a numpy array and store results.

Convert the fitted parameters into a numpy array, saved to `self.final_params`, and store the error flag as `self.flag`.

The flag corresponds to the following messages:

**flag** ()

0: *Successfully converged*

1: *Software reported maximum number of iterations exceeded*

2: *Software run but didn't converge to solution*

3: *Software raised an exception*

**eval\_chisq** (*params, x=None, y=None, e=None*)

Computes the chisq value

### Parameters

- **params** (*list*) – The parameters to calculate residuals for
- **x** (*numpy array, optional*) – x data points, defaults to `self.data_x`
- **y** (*numpy array, optional*) – y data points, defaults to `self.data_y`
- **e** (*numpy array, optional*) – error at each data point, defaults to `self.data_e`

**Returns** The sum of squares of residuals for the datapoints at the given parameters

**Return type** numpy array

**fit()**

Run the fitting.

This will be timed so should include only what is needed to fit the data.

**flag**

0: *Successfully converged*

1: *Software reported maximum number of iterations exceeded*

2: *Software run but didn't converge to solution*

3: *Software raised an exception*

**prepare()**

Check that function and minimizer have been set. If both have been set, run self.setup().

**setup()**

Setup the specifics of the fitting.

Anything needed for “fit” that can only be done after knowing the minimizer to use and the function to fit should be done here. Any variables needed should be saved to self (as class attributes).

**validate\_minimizer**(*minimizer, algorithm\_type*)

Helper function which checks that the selected minimizer from the options (options.minimizer) exists and whether the minimizer is in self.algorithm\_check[options.algorithm\_type] (this is a list set in the controller)

#### Parameters

- **minimizer** (*str*) – string of minimizers selected from the options
- **algorithm\_type** (*str*) – the algorithm type selected from the options

## fitbenchmarking.controllers.bumps\_controller module

Implements a controller for the Bumps fitting software.

**class** fitbenchmarking.controllers.bumps\_controller.**BumpsController**(*problem*)

Bases: *fitbenchmarking.controllers.base\_controller.Controller*

Controller for the Bumps fitting software.

Sasview requires a model to fit. Setup creates a model with the correct function.

**cleanup()**

Convert the result to a numpy array and populate the variables results will be read from.

**fit()**

Run problem with Bumps.

**setup()**

Setup problem ready to run with Bumps.

Creates a FitProblem for calling in the fit() function of Bumps

## fitbenchmarking.controllers.controller\_factory module

This file contains a factory implementation for the controllers. This is used to manage the imports and reduce effort in adding new controllers.

**class** fitbenchmarking.controllers.controller\_factory.**ControllerFactory**

Bases: object

A factory for creating software controllers. This has the capability to select the correct controller, import it, and generate an instance of it. Controllers generated from this must be a subclass of base\_controller.Controller

**static create\_controller** (*software*)

Create a controller that matches the required software.

**Parameters** **software** (*string*) – The name of the software to create a controller for

**Returns** Controller class for the problem

**Return type** fitbenchmarking.fitting.base\_controller.Controller subclass

### fitbenchmarking.controllers.dfo\_controller module

Implements a controller for DFO-GN <http://people.maths.ox.ac.uk/robertsl/dfogn/>

**class** fitbenchmarking.controllers.dfo\_controller.**DFOController** (*problem*)

Bases: *fitbenchmarking.controllers.base\_controller.Controller*

Controller for the DFO-{GN/LS} fitting software.

**cleanup** ()

Convert the result to a numpy array and populate the variables results will be read from.

**fit** ()

Run problem with DFO.

**setup** ()

Setup for DFO

### fitbenchmarking.controllers.gsl\_controller module

Implements a controller for GSL <https://www.gnu.org/software/gsl/> using the pyGSL python interface <https://sourceforge.net/projects/pygsl/>

**class** fitbenchmarking.controllers.gsl\_controller.**GSLController** (*problem*)

Bases: *fitbenchmarking.controllers.base\_controller.Controller*

Controller for the GSL fitting software

**cleanup** ()

Convert the result to a numpy array and populate the variables results will be read from

**fit** ()

Run problem with GSL

**setup** ()

Setup for GSL

### fitbenchmarking.controllers.mantid\_controller module

Implements a controller for the Mantid fitting software.

**class** fitbenchmarking.controllers.mantid\_controller.**MantidController** (*problem*)

Bases: *fitbenchmarking.controllers.base\_controller.Controller*

Controller for the Mantid fitting software.

Mantid requires subscribing a custom function in a predefined format, so this controller creates that in setup.

**cleanup()**

Convert the result to a numpy array and populate the variables results will be read from.

**eval\_chisq**(*params, x=None, y=None, e=None*)

Computes the chisq value. If multi-fit inputs will be lists and this will return a list of chi squared of *params[i]*, *x[i]*, *y[i]*, and *e[i]*.

#### Parameters

- **params** (*list of float or list of list of float*) – The parameters to calculate residuals for
- **x** (*numpy array or list of numpy arrays, optional*) – x data points, defaults to *self.data\_x*
- **y** (*numpy array or list of numpy arrays, optional*) – y data points, defaults to *self.data\_y*
- **e** (*numpy array or list of numpy arrays, optional*) – error at each data point, defaults to *self.data\_e*

**Returns** The sum of squares of residuals for the datapoints at the given parameters

**Return type** numpy array

**fit()**

Run problem with Mantid.

**setup()**

Setup problem ready to run with Mantid.

Adds a custom function to Mantid for calling in *fit()*.

### fitbenchmarking.controllers.minuit\_controller module

Implements a controller for the CERN package Minuit <https://seal.web.cern.ch/seal/snapshot/work-packages/mathlibs/minuit/> using the iminuit python interface <http://iminuit.readthedocs.org>

**class** fitbenchmarking.controllers.minuit\_controller.MinuitController(*problem*)

Bases: *fitbenchmarking.controllers.base\_controller.Controller*

Controller for the Minuit fitting software

**cleanup()**

Convert the result to a numpy array and populate the variables results will be read from

**fit()**

Run problem with Minuit

**setup()**

Setup for Minuit

### fitbenchmarking.controllers.ralfit\_controller module

Implements a controller for RALFit <https://github.com/ralna/RALFit>

```
class fitbenchmarking.controllers.ralfit_controller.RALFitController (problem)
    Bases: fitbenchmarking.controllers.base_controller.Controller

    Controller for the RALFit fitting software.

    cleanup ()
        Convert the result to a numpy array and populate the variables results will be read from.

    fit ()
        Run problem with RALFit.

    setup ()
        Setup for RALFit
```

### fitbenchmarking.controllers.scipy\_controller module

Implements a controller for the scipy fitting software. In particular, here for the scipy minimize solver for general minimization problems

```
class fitbenchmarking.controllers.scipy_controller.ScipyController (problem)
    Bases: fitbenchmarking.controllers.base_controller.Controller

    Controller for the Scipy fitting software.

    cleanup ()
        Convert the result to a numpy array and populate the variables results will be read from.

    eval_jac (x, *args)
        Wrapper for problem.eval_j to form the approximate Jacobian for problem.eval_r_norm

        Parameters x (list) – The parameter values to find the Jacobian at

        Returns Approximation of the Jacobian

        Return type numpy array

    fit ()
        Run problem with Scipy.

    setup ()
        Setup problem ready to be run with SciPy
```

### fitbenchmarking.controllers.scipy\_ls\_controller module

Implements a controller for the scipy ls fitting software. In particular, for the scipy least\_squares solver.

```
class fitbenchmarking.controllers.scipy_ls_controller.ScipyLSController (problem)
    Bases: fitbenchmarking.controllers.base_controller.Controller

    Controller for the Scipy Least-Squares fitting software.

    cleanup ()
        Convert the result to a numpy array and populate the variables results will be read from.

    fit ()
        Run problem with Scipy LS.

    setup ()
        Setup problem ready to be run with SciPy LS
```

## Module contents

### fitbenchmarking.core package

### Submodules

#### fitbenchmarking.core.fitting\_benchmarking module

Main module of the tool, this holds the master function that calls lower level functions to fit and benchmark a set of problems for a certain fitting software.

`fitbenchmarking.core.fitting_benchmarking.benchmark` (*options*, *data\_dir*)

Gather the user input and list of paths. Call benchmarking on these. The benchmarking structure is:

```
loop_over_benchmark_problems()
    loop_over_starting_values()
        loop_over_software()
            loop_over_minimizers()
```

#### Parameters

- **options** (`fitbenchmarking.utils.options.Options`) – dictionary containing software used in fitting the problem, list of minimizers and location of json file contain minimizers
- **data\_dir** – full path of a directory that holds a group of problem definition files

**Returns** `prob_results` array of fitting results for the problem group, list of failed problems and dictionary of unselected minimizers

**Return type** `tuple(list, list, dict)`

`fitbenchmarking.core.fitting_benchmarking.loop_over_benchmark_problems` (*problem\_group*,  
*options*)

Loops over benchmark problems

#### Parameters

- **problem\_group** (*list*) – locations of the benchmark problem files
- **options** (`fitbenchmarking.utils.options.Options`) – FitBenchmarking options for current run

**Returns** `prob_results` array of fitting results for the problem group, list of failed problems and dictionary of unselected minimizers

**Return type** `tuple(list, list, dict)`

`fitbenchmarking.core.fitting_benchmarking.loop_over_fitting_software` (*problem*,  
*options*,  
*start\_values\_index*,  
*grabbed\_output*)

Loops over fitting software selected in the options

#### Parameters

- **problem** (`FittingProblem`) – a problem object containing information used in fitting

- **options** (`fitbenchmarking.utils.options.Options`) – FitBenchmarking options for current run
- **start\_values\_index** (`int`) – Integer that selects the starting values when datasets have multiple ones.
- **grabbed\_output** (`fitbenchmarking.utils.output_grabber.OutputGrabber`) – Object that removes third part output from console

**Returns** list of all results, failed problem names and dictionary of unselected minimizers based on `algorithm_type`

**Return type** tuple(list of `fitbenchmarking.utils.fitbm_result.FittingResult`, list of failed problem names, dictionary of minimizers)

`fitbenchmarking.core.fitting_benchmarking.loop_over_minimizers` (*controller, minimizers, options, grabbed\_output*)

Loops over minimizers in fitting software

#### Parameters

- **controller** (*Object derived from `BaseSoftwareController`*) – The software controller for the fitting
- **minimizers** (*list*) – array of minimizers used in fitting
- **options** (`fitbenchmarking.utils.options.Options`) – FitBenchmarking options for current run
- **grabbed\_output** (`fitbenchmarking.utils.output_grabber.OutputGrabber`) – Object that removes third part output from console

**Returns** list of all results and dictionary of unselected minimizers based on `algorithm_type`

**Return type** tuple(list of `fitbenchmarking.utils.fitbm_result.FittingResult`, list of failed minimizers)

`fitbenchmarking.core.fitting_benchmarking.loop_over_starting_values` (*problem, options, grabbed\_output*)

Loops over starting values from the fitting problem

#### Parameters

- **problem** (`FittingProblem`) – a problem object containing information used in fitting
- **options** (`fitbenchmarking.utils.options.Options`) – FitBenchmarking options for current run
- **grabbed\_output** (`fitbenchmarking.utils.output_grabber.OutputGrabber`) – Object that removes third part output from console

**Returns** `prob_results` array of fitting results for the problem group, list of failed problems and dictionary of unselected minimizers

**Return type** tuple(list, list, dict)

## fitbenchmarking.core.results\_output module

Functions that create the tables, support pages, figures, and indexes.

`fitbenchmarking.core.results_output.create_directories` (*options, group\_name*)  
Create the directory structure ready to store the results

**Parameters**

- **options** (`fitbenchmarking.utils.options.Options`) – The options used in the fitting problem and plotting
- **group\_name** (*str*) – name of the problem group

**Returns** paths to the top level results, group results, support pages, and figures directories

**Return type** (*str, str, str, str*)

```
fitbenchmarking.core.results_output.create_plots(options, results, best_results, figures_dir)
```

Create a plot for each result and store in the figures directory

**Parameters**

- **options** (`fitbenchmarking.utils.options.Options`) – The options used in the fitting problem and plotting
- **results** (*list of list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – results nested array of objects
- **best\_results** (*list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – best result for each problem
- **figures\_dir** (*str*) – Path to directory to store the figures in

```
fitbenchmarking.core.results_output.create_problem_level_index(options, table_names, group_name, group_dir, table_descriptions)
```

Generates problem level index page.

**Parameters**

- **options** (`fitbenchmarking.utils.options.Options`) – The options used in the fitting problem and plotting
- **table\_names** (*list*) – list of table names
- **group\_name** (*str*) – name of the problem group
- **group\_dir** (*str*) – Path to the directory where the index should be stored
- **table\_descriptions** (*dict*) – dictionary containing descriptions of the tables and the comparison mode

```
fitbenchmarking.core.results_output.preprocess_data(results_per_test)
```

Preprocess data into the right format for printing and find the best result for each problem

**Parameters** **results\_per\_test** (*list of list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – results nested array of objects

**Returns** The best result for each problem

**Return type** list of fitbenchmarking.utils.fitbm\_result.FittingResult

```
fitbenchmarking.core.results_output.save_results(options, results, group_name, failed_problems, unselected_minimizers)
```

Create all results files and store them. Result files are plots, support pages, tables, and index pages.

**Parameters**

- **options** (`fitbenchmarking.utils.options.Options`) – The options used in the fitting problem and plotting
- **results** (*list of list of `fitbenchmarking.utils.fitbm_result.FittingResult`*) – results nested array of objects
- **group\_name** (*str*) – name of the problem group
- **failed\_problems** (*list*) – list of failed problems to be reported in the html output

**Params** `unselected_minimizers` Dictionary containing unselected minimizers based on the `algorithm_type` option

**Returns** Path to directory of group results

**Return type** `str`

## Module contents

### `fitbenchmarking.jacobian` package

#### Submodules

#### `fitbenchmarking.jacobian.SciPyFD_2point_jacobian` module

Module which calculates SciPy 2 point finite difference approximation

**class** `fitbenchmarking.jacobian.SciPyFD_2point_jacobian.SciPyTwoPoint` (*problem*)

Bases: `fitbenchmarking.jacobian.base_jacobian.Jacobian`

Implements SciPy 2 point finite difference approximation to the derivative

**eval** (*params, func=None, \*\*kwargs*)

Evaluates Jacobian

##### Parameters

- **params** (*list*) – The parameter values to find the Jacobian at
- **func** (*Callable, optional*) – Function to find the Jacobian for, defaults to `problem.eval_r`

**Returns** Approximation of the Jacobian

**Return type** `numpy array`

#### `fitbenchmarking.jacobian.SciPyFD_3point_jacobian` module

Module which calculates SciPy 3 point finite difference approximation

**class** `fitbenchmarking.jacobian.SciPyFD_3point_jacobian.SciPyThreePoint` (*problem*)

Bases: `fitbenchmarking.jacobian.base_jacobian.Jacobian`

Implements SciPy 3 point finite difference approximation to the derivative

**eval** (*params, func=None, \*\*kwargs*)

Evaluates Jacobian

##### Parameters

- **params** (*list*) – The parameter values to find the Jacobian at
- **func** (*Callable*, *optional*) – Function to find the Jacobian for, defaults to `problem.eval_r`

**Returns** Approximation of the Jacobian

**Return type** numpy array

### **fitbenchmarking.jacobian.SciPyFD\_cs\_jacobian module**

Module which calculates SciPy complex steps numerical method

**class** `fitbenchmarking.jacobian.SciPyFD_cs_jacobian.ScipyCS` (*problem*)

Bases: `fitbenchmarking.jacobian.base_jacobian.Jacobian`

Implements SciPy complex steps numerical method for calculating the derivative

**eval** (*params*, *func=None*, *\*\*kwargs*)

Evaluates Jacobian

#### **Parameters**

- **params** (*list*) – The parameter values to find the Jacobian at
- **func** (*Callable*, *optional*) – Function to find the Jacobian for, defaults to `problem.eval_r`

**Returns** Approximation of the Jacobian

**Return type** numpy array

### **fitbenchmarking.jacobian.base\_jacobian module**

Implements the base class for the Jacobian.

**class** `fitbenchmarking.jacobian.base_jacobian.Jacobian` (*problem*)

Bases: `object`

Base class for Jacobian.

**eval** (*params*, *func=None*, *\*\*kwargs*)

Evaluates Jacobian

#### **Parameters**

- **params** (*list*) – The parameter values to find the Jacobian at
- **func** (*Callable*, *optional*) – Function to find the Jacobian for, defaults to `problem.eval_r`

**Returns** Approximation of the Jacobian

**Return type** numpy array

### **fitbenchmarking.jacobian.jacobian\_factory module**

This file contains a factory implementation for the Jacobians. This is used to manage the imports and reduce effort in adding new Jacobian methods.

`fitbenchmarking.jacobian.jacobian_factory.create_jacobian(options)`

Create a Jacobian class.

**Parameters** `options` (`fitbenchmarking.utils.Options`) – FitBenchmarking options object

**Returns** Controller class for the problem

**Return type** `fitbenchmarking.jacobian.base_controller.Jacobian` subclass

## Module contents

### fitbenchmarking.parsing package

#### Submodules

#### fitbenchmarking.parsing.base\_parser module

Implements the base Parser as a Context Manager.

**class** `fitbenchmarking.parsing.base_parser.Parser` (`filename`, `options`)

Bases: `object`

Base abstract class for a parser. Further parsers should inherit from this and override the abstract `parse()` method.

**parse()**

Parse the file into a `FittingProblem`.

**Returns** The parsed problem

**Return type** *FittingProblem*

#### fitbenchmarking.parsing.cutest\_parser module

This file calls the pycutest interface for SIF data

**class** `fitbenchmarking.parsing.cutest_parser.CutestParser` (`filename`, `options`)

Bases: *fitbenchmarking.parsing.base\_parser.Parser*

Use the pycutest interface to parse SIF files

This parser has some quirks. Due to the complex nature of SIF files, we utilise pycutest to generate the function. This function returns the residual  $r(f, x, y, e) := (f(x) - y)/e$  for some parameters  $x$ . For consistency we require the value to be  $f(x, p)$ .

To avoid having to convert back from the residual in the evaluation, we store the data separately and set  $y$  to 0.0, and  $e$  to 1.0 for all datapoints.

We then accomodate for the missing  $x$  argument by caching  $x$  against an associated function  $f_x(p)$ .

As such the function is defined by:  $f(x, p) := r(f_x, p, 0, 1)$

If a new  $x$  is passed, we write a new file and parse it to generate a function. We define  $x$  to be new if `not np.isclose(x, cached_x)` for each `cached_x` that has already been stored.

**parse()**

Get data into a Fitting Problem via cutest.

**Returns** The fully parsed fitting problem

**Return type** *fitbenchmarking.parsing.fitting\_problem.FittingProblem*

### fitbenchmarking.parsing.fitbenchmark\_parser module

This file implements a parser for the Fitbenchmark data format.

**class** fitbenchmarking.parsing.fitbenchmark\_parser.**FitbenchmarkParser** (*filename, options*)

Bases: *fitbenchmarking.parsing.base\_parser.Parser*

Parser for the native FitBenchmarking problem definition (FitBenchmark) file.

**parse** ()

Parse the Fitbenchmark problem file into a Fitting Problem.

**Returns** The fully parsed fitting problem

**Return type** *fitbenchmarking.parsing.fitting\_problem.FittingProblem*

### fitbenchmarking.parsing.fitting\_problem module

Implements the FittingProblem class, this will be the object that inputs are parsed into before being passed to the controllers

**class** fitbenchmarking.parsing.fitting\_problem.**FittingProblem** (*options*)

Bases: object

Definition of a fitting problem, which will be populated by a parser from a problem definition file.

This defines a fitting problem where, given a set of  $n$  data points  $(x_i, y_i)$ , associated errors  $e_i$ , and a model function  $f(x, p)$ , we find the optimal parameters in the least-squares sense by solving:

$$\min_p \sum_{i=1}^n \left( \frac{y_i - f(x_i, p)}{e_i} \right)^2$$

where  $p$  is a vector of length  $m$ , and we start from a given initial guess for the optimal parameters.

**additional\_info** = None

*dict* Container for software specific information. This should be avoided if possible.

**correct\_data** ()

Strip data that overruns the start and end x\_range, and approximate errors if not given. Modifications happen on member variables.

**data\_e** = None

*numpy array* The errors

**data\_x** = None

*numpy array* The x-data

**data\_y** = None

*numpy array* The y-data

**end\_x** = None

*float* The end of the range to fit model data over (if different from entire range) (/float/)

**equation** = None

*string* Equation (function or model) to fit against data

**eval\_f** (*params*, *x=None*)

Function evaluation method

**Parameters**

- **params** (*list*) – parameter value(s)
- **x** (*numpy array*) – x data values or None, if None this uses self.data\_x

**Returns** y data values evaluated from the function of the problem

**Return type** numpy array

**eval\_r** (*params*, *x=None*, *y=None*, *e=None*)

Calculate residuals and weight them if using errors

**Parameters**

- **params** (*list*) – The parameters to calculate residuals for
- **x** (*numpy array, optional*) – x data points, defaults to self.data\_x
- **y** (*numpy array, optional*) – y data points, defaults to self.data\_y
- **e** (*numpy array, optional*) – error at each data point, defaults to self.data\_e

**Returns** The residuals for the datapoints at the given parameters

**Return type** numpy array

**eval\_r\_norm** (*params*, *x=None*, *y=None*, *e=None*)

Evaluate the square of the L2 norm of the residuals

**Parameters**

- **params** (*list*) – The parameters to calculate residuals for
- **x** (*numpy array, optional*) – x data points, defaults to self.data\_x
- **y** (*numpy array, optional*) – y data points, defaults to self.data\_y
- **e** (*numpy array, optional*) – error at each data point, defaults to self.data\_e

**Returns** The sum of squares of residuals for the datapoints at the given parameters

**Return type** numpy array

**eval\_starting\_params** (*param\_set*)

Evaluate the function using the starting parameters.

**Parameters** **param\_set** (*int*) – The index of the parameter set in starting\_params

**Returns** Results from evaluation

**Return type** numpy array

**function = None**

Callable function

**get\_function\_params** (*params*)

Return the function definition in a string format for output

**Parameters** **params** (*list*) – The parameters to use in the function string

**Returns** Representation of the function example format: 'b1 \* (b2+x) | b1=-2.0, b2=50.0'

**Return type** string

**multifit** = None

*bool* Used to check if a problem is using multifit.

**name** = None

*string* Name (title) of the fitting problem

**param\_names**

Utility function to get the parameter names

**Returns** the names of the parameters

**Return type** list of str

**sorted\_index** = None

*numpy array* The index for sorting the data (used in plotting)

**start\_x** = None

*float* The start of the range to fit model data over (if different from entire range)

**starting\_values** = None

*list of dict* Starting values of the fitting parameters

e.g. [{p1\_name: p1\_val1, p2\_name: p2\_val1, ...}, {p1\_name: p1\_val2, .  
..}, ...]

**value\_ranges** = None

*dict* Smallest and largest values of interest in the data

e.g. {p1\_name: [p1\_min, p1\_max], ...}

**verify**()

Basic check that minimal set of attributes have been set.

Raise FittingProblemError if object is not properly initialised.

`fitbenchmarking.parsing.fitting_problem.correct_data(x, y, e, startx, endx, use_errors)`

Strip data that overruns the start and end x\_range, and approximate errors if not given.

**Parameters**

- **x** (*np.array*) – x data
- **y** (*np.array*) – y data
- **e** (*np.array*) – error data
- **startx** (*float*) – minimum x value
- **endx** (*float*) – maximum x value
- **use\_errors** (*bool*) – whether errors should be added if not present

## fitbenchmarking.parsing.nist\_data\_functions module

Functions that prepare the function specified in NIST problem definition file into the right format for SciPy.

`fitbenchmarking.parsing.nist_data_functions.format_function_scipy(function)`

Formats the function string such that it is scipy-ready.

**Parameters** **function** (*str*) – The function to be formatted

**Returns** The formatted function

**Return type** str

`fitbenchmarking.parsing.nist_data_functions.is_safe(func_str)`

Verifies that a string is safe to be passed to exec in the context of an equation.

**Parameters** `func_str` (*string*) – The function to be checked

**Returns** Whether the string is of the expected format for an equation

**Return type** bool

`fitbenchmarking.parsing.nist_data_functions.nist_func_definition(function, param_names)`

Processing a function plus different set of starting values as specified in the NIST problem definition file into a callable

**Parameters**

- **function** (*str*) – function string as defined in a NIST problem definition file
- **param\_names** (*list*) – names of the parameters in the function

**Returns** callable function

**Return type** callable

## fitbenchmarking.parsing.nist\_parser module

This file implements a parser for the NIST style data format.

**class** `fitbenchmarking.parsing.nist_parser.NISTParser` (*filename, options*)

Bases: `fitbenchmarking.parsing.base_parser.Parser`

Parser for the NIST problem definition file.

**parse** ()

Parse the NIST problem file into a Fitting Problem.

**Returns** The fully parsed fitting problem

**Return type** `fitbenchmarking.parsing.fitting_problem.FittingProblem`

## fitbenchmarking.parsing.parser\_factory module

This file contains a factory implementation for the parsers. This is used to manage the imports and reduce effort in adding new parsers.

**class** `fitbenchmarking.parsing.parser_factory.ParserFactory`

Bases: object

A factory for creating parsers. This has the capability to select the correct parser, import it, and generate an instance of it. Parsers generated from this must be a subclass of `base_parser.Parser`

**static create\_parser** (*filename*)

Inspect the input and create a parser that matches the required file.

**Parameters** `filename` (*string*) – The path to the file to be parsed

**Returns** Parser for the problem

**Return type** `fitbenchmarking.parsing.base_parser.Parser` subclass

`fitbenchmarking.parsing.parser_factory.parse_problem_file` (*prob\_file, options*)

Loads the problem file into a fitting problem using the correct parser.

**Parameters**

- **prob\_file** (*string*) – path to the problem file
- **options** (`fitbenchmarking.utils.options.Options`) – all the information specified by the user

**Returns** problem object with fitting information

**Return type** `fitbenchmarking.parsing.fitting_problem.FittingProblem`

**Module contents****fitbenchmarking.results\_processing package****Submodules****fitbenchmarking.results\_processing.acc\_table module**

Accuracy table

```
class fitbenchmarking.results_processing.acc_table.AccTable(results, best_results,
                                                           options, group_dir,
                                                           pp_locations, ta-
                                                           ble_name)
```

Bases: `fitbenchmarking.results_processing.base_table.Table`

The accuracy results are calculated from the final chi squared value:

$$\min_p \sum_{i=1}^n \left( \frac{y_i - f(x_i, p)}{e_i} \right)^2$$

where  $n$  data points  $(x_i, y_i)$ , associated errors  $e_i$ , and a model function  $f(x, p)$ .

**get\_values** (*results\_dict*)

Gets the main values to be reported in the tables

**Parameters** **results\_dict** (*dictionary*) – dictionary containing results where the keys are the problem sets and the values are lists of results objects

**Returns** two dictionaries containing the absolute chi\_sq and the normalised chi\_sq with respect to the smallest chi\_sq value.

**Return type** tuple(dict, dict)

**fitbenchmarking.results\_processing.base\_table module**

Implements the base class for the tables.

```
class fitbenchmarking.results_processing.base_table.Table(results, best_results,
                                                           options, group_dir,
                                                           pp_locations, ta-
                                                           ble_name)
```

Bases: object

Base class for the FitBenchmarking HTML and text output tables.

**colour\_highlight** (*value, colour*)

Takes the HTML colour values from `get_colour()` and maps it over the HTML table using the Pandas style mapper.

**Parameters**

- **value** (*pandas.core.series.Series*) – Row data from the pandas array
- **colour** (*dict*) – dictionary containing error codes from the minimizers

**Returns** list of HTML colours

**Return type** list

**create\_pandas\_data\_frame** (*str\_results*)

Converts dictionary of results into a pandas data frame

**Parameters** **str\_results** (*dict*) – dictionary containing the string representation of the values in the table.

**Returns** pandas data frame with from results

**Return type** Pandas DataFrame

**create\_results\_dict** ()

Generates a dictionary used to create HTML and txt tables.

**Returns** dictionary containing results where the keys are the problem sets and the values are lists of results objects

**Return type** dictionary

**display\_str** (*results*)

Function which converts the results from `get_values()` into a string representation to be used in the tables. Base class implementation takes the absolute and relative values and uses `self.output_string_type` as a template for the string format. This can be overwritten to adequately display the results.

**Parameters** **results** (*tuple*) – tuple containing absolute and relative values

**Returns** dictionary containing the string representation of the values in the table.

**Return type** dict

**enable\_error** (*value, error, template*)

Enable error codes in table

**Parameters**

- **value** (*pandas.core.series.Series*) – Row data from the pandas array
- **error** (*dict*) – dictionary containing error codes from the minimizers

**Returns** Row data from the pandas array with error codes enabled

**Return type** pandas.core.series.Series

**enable\_link** (*value, links*)

Enable HTML links in values

**Parameters**

- **value** (*pandas.core.series.Series*) – Row data from the pandas array
- **links** (*dict*) – dictionary containing links to the support pages

**Returns** Row data from the pandas array with links enabled

**Return type** pandas.core.series.Series

**file\_path**

Getter function for the path to the table

**Returns** path to table

**Return type** str

**get\_colour** (*results*)

Converts the result from *get\_values()* into the HTML colours used in the tables. The base class implementation, for example, uses the relative results and *colour\_scale* within *Options*.

**Parameters** **results** (*tuple*) – tuple containing absolute and relative values

**Returns** dictionary containing HTML colours for the table

**Return type** dict

**get\_description** (*html\_description*)

Generates table description from class docstrings and converts them into html

**Parameters** **html\_description** (*dict*) – Dictionary containing table descriptions

**Returns** Dictionary containing table descriptions

**Return type** dict

**get\_error** (*results\_dict*)

Pulls out error code from the results object

**Parameters** **results** (*tuple*) – tuple containing absolute and relative values

**Returns** dictionary containing error codes from the minimizers

**Return type** dict

**get\_links** (*results\_dict*)

Pulls out links to the individual support pages from the results object

**Parameters** **results** (*tuple*) – tuple containing absolute and relative values

**Returns** dictionary containing links to the support pages

**Return type** dict

**get\_values** (*results\_dict*)

Gets the main values to be reported in the tables

**Parameters** **results\_dict** (*dictionary*) – dictionary containing results where the keys are the problem sets and the values are lists of results objects

**Returns** tuple of dictionaries which contain the main values in the tables

**Return type** tuple

**table\_title**

Getter function for table name if self.\_table\_title is None

**Returns** name of table

**Return type** str

**to\_html** (*table, colour, links, error*)

Takes Pandas data frame and converts it into the HTML table output

**Parameters**

- **table** (*Pandas DataFrame*) – pandas data frame with from results
- **colour** (*dict*) – dictionary containing error codes from the minimizers
- **links** (*dict*) – dictionary containing links to the support pages
- **error** (*dict*) – dictionary containing error codes from the minimizers

**Returns** HTML table output

**Return type** str

**to\_txt** (*table, error*)

Takes Pandas data frame and converts it into the plain text table output

**Parameters**

- **table** (*Pandas DataFrame*) – pandas data frame with from results
- **error** (*dict*) – dictionary containing error codes from the minimizers

**Returns** plain text table output

**Return type** str

## fitbenchmarking.results\_processing.compare\_table module

compare table

```
class fitbenchmarking.results_processing.compare_table.CompareTable(results,
                                                                    best_results,
                                                                    options,
                                                                    group_dir,
                                                                    pp_locations,
                                                                    ta-
                                                                    ble_name)
```

Bases: *fitbenchmarking.results\_processing.base\_table.Table*

The combined results show the accuracy in the first line of the cell and the runtime on the second line of the cell.

**colour\_highlight** (*value, colour*)

Enable HTML colours in the HTML output.

**Parameters**

- **value** (*pandas.core.series.Series*) – Row data from the pandas array
- **colour** (*dict*) – dictionary containing error codes from the minimizers

**Returns** list of HTML colours

**Return type** list

**display\_str** (*results*)

Function that combines the accuracy and runtime results into the string representation.

**Parameters** **results** (*tuple*) – tuple containing absolute and relative values

**Returns** dictionary containing the string representation of the values in the table.

**Return type** dict

**get\_values** (*results\_dict*)

Gets the main values to be reported in the tables

**Parameters** `results_dict` (*dictionary*) – dictionary containing results where the keys are the problem sets and the values are lists of results objects

**Returns** First dictionary containing the absolute chi\_sq and runtime results and the second contains the normalised chi\_sq and runtime results with respect to the smallest values.

**Return type** tuple(dict, dict)

## fitbenchmarking.results\_processing.local\_min\_table module

compare table

```
class fitbenchmarking.results_processing.local_min_table.LocalMinTable(results,  
                                                                    best_results,  
                                                                    op-  
                                                                    tions,  
                                                                    group_dir,  
                                                                    pp_locations,  
                                                                    ta-  
                                                                    ble_name)
```

Bases: `fitbenchmarking.results_processing.base_table.Table`

The local min results shows a True or False value together with  $\frac{\|J^T r\|}{\|r\|}$ . The True or False indicates whether the software finds a minimum with respect to the following criteria:

- $\|r\| \leq \text{RES\_TOL}$ ,
- $\|J^T r\| \leq \text{GRAD\_TOL}$ ,
- $\frac{\|J^T r\|}{\|r\|} \leq \text{GRAD\_TOL}$ ,

where  $J$  and  $r$  are the Jacobian and residual of  $f(x, p)$ , respectively. The tolerances can be found in the results object.

**display\_str** (*results*)

Function that combines the True and False value from variable local\_min with the normalised residual

**Parameters** `results` (*tuple*) – a dictionary containing true or false values whether the return parameters is a local minimizer and a dictionary containing  $\frac{\|J^T r\|}{\|r\|}$  values

**Returns** dictionary containing the string representation of the values in the table.

**Return type** dict

**get\_colour** (*results*)

Uses the local minimizer dictionary values to set the HTML colour

**Parameters** `results` (*tuple*) – a dictionary containing true or false values whether the return parameters is a local minimizer and a dictionary containing  $\frac{\|J^T r\|}{\|r\|}$  values

**Returns** dictionary containing error codes from the minimizers

**Return type** dict

**get\_values** (*results\_dict*)

Gets the main values to be reported in the tables

**Parameters** `results_dict` (*dictionary*) – dictionary containing results where the keys are the problem sets and the values are lists of results objects

**Returns** a dictionary containing true or false values whether the return parameters is a local minimizer and a dictionary containing  $\frac{||J^T r||}{||r||}$  values

**Return type** tuple(dict, dict)

## fitbenchmarking.results\_processing.performance\_profiler module

Set up performance profiles for both accuracy and runtime tables

fitbenchmarking.results\_processing.performance\_profiler.**create\_plot**(*ax*,  
*step\_values*,  
*solvers*)

Function to draw the profile on a matplotlib axis

### Parameters

- **ax** (an *.axes.SubplotBase* subclass of *~.axes.Axes* (or a subclass of *~.axes.Axes*)) – A matplotlib axis to be filled
- **step\_values** (*list of float*) – a sorted list of the values of the metric being profiled
- **solvers** (*list of strings*) – A list of the labels for the different solvers

fitbenchmarking.results\_processing.performance\_profiler.**plot**(*acc*, *runtime*,  
*fig\_dir*)

Function that generates profiler plots

### Parameters

- **acc** (*dict*) – acc dictionary containing number of occurrences
- **runtime** (*dict*) – runtime dictionary containing number of occurrences
- **fig\_dir** (*str*) – path to directory containing the figures

**Returns** path to acc and runtime profile graphs

**Return type** tuple(str, str)

fitbenchmarking.results\_processing.performance\_profiler.**prepare\_profile\_data**(*results*)

Helper function which generates acc and runtime dictionaries which contain number of occurrences that the minimizer produces a normalised result which is less than the bounds in PROFILER\_BOUNDS

**Parameters** **results** (*list of list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – results nested array of objects

**Returns** dictionary containing number of occurrences

**Return type** tuple(dict, dict)

fitbenchmarking.results\_processing.performance\_profiler.**profile**(*results*,  
*fig\_dir*)

Function that generates profiler plots

### Parameters

- **results** (*list of list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – results nested array of objects
- **fig\_dir** (*str*) – path to directory containing the figures

**Returns** path to acc and runtime profile graphs

**Return type** tuple(str, str)

## fitbenchmarking.results\_processing.plots module

Higher level functions that are used for plotting the fit plot and a starting guess plot.

**class** fitbenchmarking.results\_processing.plots.**Plot** (*best\_result, options, figures\_dir*)

Bases: object

Class providing plotting functionality.

**format\_plot** ()

Performs post plot processing to annotate the plot correctly

**plot\_best** (*minimizer, params*)

Plots the fit along with the data using the “best\_fit” style and saves to a file

### Parameters

- **minimizer** (*str*) – name of the best fit minimizer
- **params** (*list*) – fit parameters returned from the best fit minimizer

**Returns** path to the saved file

**Return type** str

**plot\_data** (*errors, plot\_options, x=None, y=None*)

Plots the data given

### Parameters

- **errors** (*bool*) – whether fit minimizer uses errors
- **plot\_options** (*dict*) – Values for style of the data to plot, for example color and zorder
- **x** (*np.array*) – x values to be plotted
- **y** (*np.array*) – y values to be plotted

**plot\_fit** (*minimizer, params*)

Updates self.line to show the fit using the passed in params. If self.line is empty it will create a new line. Stores the plot in a file

### Parameters

- **minimizer** (*str*) – name of the fit minimizer
- **params** (*list*) – fit parameters returned from the best fit minimizer

**Returns** path to the saved file

**Return type** str

**plot\_initial\_guess** ()

Plots the initial guess along with the data and stores in a file

**Returns** path to the saved file

**Return type** str

## fitbenchmarking.results\_processing.runtime\_table module

Runtime table

```
class fitbenchmarking.results_processing.runtime_table.RuntimeTable(results,
                                                                    best_results,
                                                                    options,
                                                                    group_dir,
                                                                    pp_locations,
                                                                    ta-
                                                                    ble_name)
```

Bases: `fitbenchmarking.results_processing.base_table.Table`

The timing results are calculated from an average using the `timeit` module in python. The number of runtimes can be set in *FitBenchmarking Options*.

**get\_values** (*results\_dict*)

Gets the main values to be reported in the tables

**Parameters** **results\_dict** (*dictionary*) – dictionary containing results where the keys are the problem sets and the values are lists of results objects

**Returns** two dictionaries containing the absolute runtime and the normalised runtime with respect to the quickest time.

**Return type** tuple(dict, dict)

## fitbenchmarking.results\_processing.support\_page module

Set up and build the support pages for various types of problems.

```
fitbenchmarking.results_processing.support_page.create(results_per_test,
                                                        group_name,          sup-
                                                        port_pages_dir, options)
```

Iterate through problem results and create a support html page for each.

### Parameters

- **results\_per\_test** (*list[list[list]]*) – results object
- **group\_name** (*str*) – name of the problem group
- **support\_pages\_dir** (*str*) – directory in which the results are saved
- **options** (`fitbenchmarking.utils.options.Options`) – The options used in the fitting problem and plotting

```
fitbenchmarking.results_processing.support_page.create_prob_group(prob_results,
                                                                    group_name,
                                                                    sup-
                                                                    port_pages_dir,
                                                                    options)
```

Creates a support page containing figures and other details about the fit for a problem. A link to the support page is stored in the results object.

### Parameters

- **prob\_results** (*list[fitbenchmarking.utils.fitbm\_result.FittingResult]*) – problem results objects containing results for each minimizer and a certain fitting function
- **group\_name** (*str*) – name of the problem group
- **support\_pages\_dir** (*str*) – directory to store the support pages in

- **options** (`fitbenchmarking.utils.options.Options`) – The options used in the fitting problem and plotting

`fitbenchmarking.results_processing.support_page.get_figure_paths(result)`

Get the paths to the figures used in the support page.

**Parameters** **result** (`fitbenchmarking.utils.fitbm_result.FittingProblem`) – The result to get the figures for

**Returns** the paths to the required figures

**Return type** `tuple(str, str)`

## fitbenchmarking.results\_processing.tables module

Set up and build the results tables.

`fitbenchmarking.results_processing.tables.create_results_tables(options, results, best_results, group_name, group_dir, pp_locations, failed_problems, unselected_minimizers)`

Saves the results of the fitting to html/txt tables.

### Parameters

- **options** (`fitbenchmarking.utils.options.Options`) – The options used in the fitting problem and plotting
- **results** (*list of list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – results nested array of objects
- **best\_results** (*list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – best result for each problem
- **group\_name** (*str*) – name of the problem group
- **group\_dir** (*str*) – path to the directory where group results should be stored
- **table\_descriptions** (*dict*) – dictionary containing descriptions of the tables and the comparison mode
- **pp\_locations** (*tuple(str, str)*) – tuple containing the locations of the performance profiles (acc then runtime)
- **failed\_problems** (*list*) – list of failed problems to be reported in the html output

**Params** **unselected\_minimizers** Dictionary containing unselected minimizers based on the `algorithm_type` option

**Returns** filepaths to each table e.g {‘acc’: <acc-table-filename>, ‘runtime’: ... } and dictionary of table descriptions

**Return type** `tuple(dict, dict)`

`fitbenchmarking.results_processing.tables.generate_table` (*results*, *best\_results*,  
*options*, *group\_dir*,  
*pp\_locations*, *table\_name*, *suffix*)

Generate html/txt tables.

#### Parameters

- **results** (*list of list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – results nested array of objects
- **best\_results** (*list of fitbenchmarking.utils.fitbm\_result.FittingResult*) – best result for each problem
- **options** (*fitbenchmarking.utils.options.Options*) – The options used in the fitting problem and plotting
- **group\_dir** (*str*) – path to the directory where group results should be stored
- **pp\_locations** (*tuple(str, str)*) – tuple containing the locations of the performance profiles (acc then runtime)
- **table\_name** (*str*) – name of the table
- **suffix** (*str*) – table suffix

**Returns** Table object, HTML string of table and text string of table.

**Return type** tuple(Table object, str, str)

`fitbenchmarking.results_processing.tables.load_table` (*table*)

Create and return table object.

**Parameters** **table** (*string*) – The name of the table to create a table for

**Returns** Table class for the problem

**Return type** fitbenchmarking/results\_processing/tables.Table subclass

## Module contents

### fitbenchmarking.utils package

#### Submodules

#### fitbenchmarking.utils.create\_dirs module

Utility functions for creating/deleting directories.

`fitbenchmarking.utils.create_dirs.css` (*results\_dir*)

Creates a local css directory inside the results directory.

**Parameters** **support\_pages\_dir** (*str*) – path to the results directory

**Returns** path to the local css directory

**Return type** str

`fitbenchmarking.utils.create_dirs.del_contents_of_dir` (*directory*)

Delete contents of a directory, including other directories.

**Parameters** **directory** (*str*) – the target directory

`fitbenchmarking.utils.create_dirs.figures` (*support\_pages\_dir*)

Creates the figures directory inside the support\_pages directory.

**Parameters** `support_pages_dir` (*str*) – path to the support pages directory

**Returns** path to the figures directory

**Return type** `str`

`fitbenchmarking.utils.create_dirs.group_results` (*results\_dir, group\_name*)

Creates the results directory for a specific group. e.g. fitbenchmarking/results/Neutron/

**Parameters**

- **results\_dir** (*str*) – path to directory that holds all the results
- **group\_name** (*str*) – name of the problem group

**Returns** path to folder group specific results dir

**Return type** `str`

`fitbenchmarking.utils.create_dirs.results` (*results\_dir*)

Creates the results folder in the working directory.

**Parameters** `results_dir` (*str*) – path to the results directory, results dir name

**Returns** proper path to the results directory

**Return type** `str`

`fitbenchmarking.utils.create_dirs.support_pages` (*group\_results\_dir*)

Creates the support\_pages directory in the group results directory.

**Parameters** `group_results_dir` (*str*) – path to the group results directory

**Returns** path to the figures directory

**Return type** `str`

## fitbenchmarking.utils.exceptions module

This file holds all FitBenchmarking exceptions, organised by exception id

**exception** `fitbenchmarking.utils.exceptions.ControllerAttributeError` (*message=""*)

Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates an issue with the attributes within a controller

**exception** `fitbenchmarking.utils.exceptions.FitBenchmarkException` (*message=""*)

Bases: `Exception`

The base class for all FitBenchmarking exceptions

To define a new exception, inherit from this and override the `_class_message`

**exception** `fitbenchmarking.utils.exceptions.FittingProblemError` (*message=""*)

Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates a problem with the fitting problem.

**exception** `fitbenchmarking.utils.exceptions.MissingSoftwareError` (*message=""*)

Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates that the requirements for a software package are not available.

**exception** `fitbenchmarking.utils.exceptions.NoControllerError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates a controller could not be found

**exception** `fitbenchmarking.utils.exceptions.NoDataError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates that no data could be found.

**exception** `fitbenchmarking.utils.exceptions.NoJacobianError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates a problem with the Jacobian import.

**exception** `fitbenchmarking.utils.exceptions.NoParserError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates a parser could not be found.

**exception** `fitbenchmarking.utils.exceptions.NoResultsError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates a problem with the fitting problem.

**exception** `fitbenchmarking.utils.exceptions.OptionsError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates an error during processing options.

**exception** `fitbenchmarking.utils.exceptions.ParsingError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates an error during parsing.

**exception** `fitbenchmarking.utils.exceptions.UnknownMinimizerError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates that the controller does not support a given minimizer given the current “algorithm\_type” option set.

**exception** `fitbenchmarking.utils.exceptions.UnknownTableError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates a problem with the fitting problem.

**exception** `fitbenchmarking.utils.exceptions.UnsupportedMinimizerError (message=)`  
 Bases: `fitbenchmarking.utils.exceptions.FitBenchmarkException`

Indicates that the controller does not support a given minimizer.

## fitbenchmarking.utils.fitbm\_result module

FitBenchmarking results object

**class** `fitbenchmarking.utils.fitbm_result.FittingResult (options, problem, jac, initial_params, params, name=None, chi_sq=None, runtime=None, minimizer=None, error_flag=None, dataset_id=None)`

Bases: `object`

Minimal definition of a class to hold results from a fitting problem test.

**norm\_acc**

Getting function for norm\_acc attribute

**Returns** normalised accuracy value

**Return type** float

**norm\_runtime**

Getting function for norm\_runtime attribute

**Returns** normalised runtime value

**Return type** float

**sanitised\_min\_name**

Sanitise the minimizer name into one which can be used as a filename.

**Returns** sanitised name

**Return type** str

**sanitised\_name**

Sanitise the problem name into one which can be used as a filename.

**Returns** sanitised name

**Return type** str

**fitbenchmarking.utils.log module**

Utility functions to support logging for the fitbenchmarking project.

`fitbenchmarking.utils.log.get_logger(name='fitbenchmarking')`

Get the unique logger for the given name. This is a straight pass through but will be more intuitive for people who have not used python logging.

**Parameters** `name` (*str*, *optional*) – Name of the logger to use, defaults to 'fitbenchmarking'

**Returns** The named logger

**Return type** logging.Logger

`fitbenchmarking.utils.log.setup_logger(log_file='./fitbenchmarking.log',  
name='fitbenchmarking', append=False,  
level='INFO')`

Define the location and style of the log file.

**Parameters**

- **log\_file** (*str*, *optional*) – path to the log file, defaults to './fitbenchmarking.log'
- **name** (*str*, *optional*) – The name of the logger to run the setup for, defaults to fitbenchmarking
- **append** (*bool*, *optional*) – Whether to append to the log or create a new one, defaults to False
- **level** (*str*, *optional*) – The level of error to print, defaults to 'INFO'

**fitbenchmarking.utils.misc module**

Miscellaneous functions and utilities used in fitting benchmarking.

`fitbenchmarking.utils.misc.get_css(options, working_directory)`

Returns the path of the local css folder

**Parameters** `working_directory` (*string*) – location of current directory

**Returns** A dictionary containing relative links to the local css directory

**Return type** dict of strings

`fitbenchmarking.utils.misc.get_js(options, working_directory)`

Returns the path of the local js folder

**Parameters** `working_directory` (*string*) – location of current directory

**Returns** A dictionary containing relative links to the local js directory

**Return type** dict of strings

`fitbenchmarking.utils.misc.get_problem_files(data_dir)`

Gets all the problem definition files from the specified problem set directory.

**Parameters** `data_dir` (*str*) – directory containing the problems

**Returns** array containing of paths to the problems e.g. In NIST we would have  
[low\_difficulty/file1.txt, ..., ...]

**Return type** list of str

## fitbenchmarking.utils.options module

This file will handle all interaction with the options configuration file.

**class** `fitbenchmarking.utils.options.Options` (*file\_name=None*)

Bases: `object`

An options class to store and handle all options for fitbenchmarking

**DEFAULTS** = {'FITTING': {'algorithm\_type': 'all', 'jac\_method': 'SciPyFD', 'num\_method':

**DEFAULT\_FITTING** = {'algorithm\_type': 'all', 'jac\_method': 'SciPyFD', 'num\_method':

**DEFAULT\_LOGGING** = {'append': False, 'external\_output': 'log\_only', 'file\_name': 'fi

**DEFAULT\_MINIMZERS** = {'bumps': ['amoeba', 'lm-bumps', 'newton', 'mp'], 'dfo': ['dfogn

**DEFAULT\_PLOTTING** = {'colour\_scale': [(1.1, '#fef0d9'), (1.33, '#fdcc8a'), (1.75, '#fc

**VALID** = {'FITTING': {'algorithm\_type': ['all', 'ls', 'deriv\_free', 'general'], 'jac\_m

**VALID\_FITTING** = {'algorithm\_type': ['all', 'ls', 'deriv\_free', 'general'], 'jac\_metho

**VALID\_LOGGING** = {'append': [True, False], 'external\_output': ['debug', 'display', 'l

**VALID\_MINIMIZERS** = {'bumps': ['amoeba', 'lm-bumps', 'newton', 'de', 'mp'], 'dfo': ['c

**VALID\_PLOTTING** = {'comparison\_mode': ['abs', 'rel', 'both'], 'make\_plots': [True, Fa

**VALID\_SECTIONS** = ['MINIMIZERS', 'FITTING', 'PLOTTING', 'LOGGING']

**minimizers**

**read\_value** (*func, option*)

Helper function which loads in the value

**Parameters**

- **func** (*callable*) – configparser function

- **option** (*str*) – option to be read for file

**Returns** value of the option

**Return type** list/str/int/bool

**reset** ()

Resets options object when running multiple problem groups.

**results\_dir**

**write** (*file\_name*)

Write the contents of the options object to a new options file.

**Parameters** **file\_name** (*str*) – The path to the new options file

**write\_to\_stream** (*file\_object*)

Write the contents of the options object to a file object.

`fitbenchmarking.utils.options.read_list(s)`

Utility function to allow lists to be read by the config parser

**Parameters** **s** (*string*) – string to convert to a list

**Returns** list of items

**Return type** list of str

## fitbenchmarking.utils.output\_grabber module

**class** `fitbenchmarking.utils.output_grabber.OutputGrabber` (*options*)

Bases: object

Class used to grab outputs for stdout and stderr

**class** `fitbenchmarking.utils.output_grabber.StreamGrabber` (*stream*)

Bases: object

Class used to grab an output stream.

**escape\_char** = '\x08'

**readOutput** ()

Read the stream data (one byte at a time) and save the text in *capturedtext*.

**start** ()

Start capturing the stream data.

**stop** ()

Stop capturing the stream data and save the text in *capturedtext*.

## Module contents

## Module contents

---

## Python Module Index

---

### f

fitbenchmarking, 74  
fitbenchmarking.cli, 45  
fitbenchmarking.cli.exception\_handler, 44  
fitbenchmarking.cli.main, 44  
fitbenchmarking.controllers, 50  
fitbenchmarking.controllers.base\_controller, 45  
fitbenchmarking.controllers.bumps\_controller, 46  
fitbenchmarking.controllers.controller\_factory, 46  
fitbenchmarking.controllers.dfo\_controller, 47  
fitbenchmarking.controllers.gsl\_controller, 47  
fitbenchmarking.controllers.mantid\_controller, 47  
fitbenchmarking.controllers.minuit\_controller, 48  
fitbenchmarking.controllers.ralfit\_controller, 48  
fitbenchmarking.controllers.scipy\_controller, 49  
fitbenchmarking.controllers.scipy\_ls\_controller, 49  
fitbenchmarking.core, 53  
fitbenchmarking.core.fitting\_benchmarking, 50  
fitbenchmarking.core.results\_output, 51  
fitbenchmarking.jacobian, 55  
fitbenchmarking.jacobian.base\_jacobian, 54  
fitbenchmarking.jacobian.jacobian\_factory, 54  
fitbenchmarking.jacobian.SciPyFD\_2point\_jacobian, 53  
fitbenchmarking.jacobian.SciPyFD\_3point\_jacobian, 53  
fitbenchmarking.jacobian.SciPyFD\_cs\_jacobian, 54  
fitbenchmarking.parsing, 60  
fitbenchmarking.parsing.base\_parser, 55  
fitbenchmarking.parsing.cutest\_parser, 55  
fitbenchmarking.parsing.fitbenchmark\_parser, 56  
fitbenchmarking.parsing.fitting\_problem, 56  
fitbenchmarking.parsing.nist\_data\_functions, 58  
fitbenchmarking.parsing.nist\_parser, 59  
fitbenchmarking.parsing.parser\_factory, 59  
fitbenchmarking.results\_processing, 69  
fitbenchmarking.results\_processing.acc\_table, 60  
fitbenchmarking.results\_processing.base\_table, 60  
fitbenchmarking.results\_processing.compare\_table, 63  
fitbenchmarking.results\_processing.local\_min\_table, 64  
fitbenchmarking.results\_processing.performance\_pro, 65  
fitbenchmarking.results\_processing.plots, 66  
fitbenchmarking.results\_processing.runtime\_table, 66  
fitbenchmarking.results\_processing.support\_page, 67  
fitbenchmarking.results\_processing.tables, 68  
fitbenchmarking.utils, 74  
fitbenchmarking.utils.create\_dirs, 69  
fitbenchmarking.utils.exceptions, 70  
fitbenchmarking.utils.fitbm\_result, 71  
fitbenchmarking.utils.log, 72

`fitbenchmarking.utils.misc`, [72](#)  
`fitbenchmarking.utils.options`, [73](#)  
`fitbenchmarking.utils.output_grabber`,  
[74](#)

## A

AccTable (class in *fitbenchmarking.results\_processing.acc\_table*), 60

additional\_info (*fitbenchmarking.parsing.fitting\_problem.FittingProblem* attribute), 56

## B

benchmark() (in module *fitbenchmarking.core.fitting\_benchmarking*), 50

BumpsController (class in *fitbenchmarking.controllers.bumps\_controller*), 46

## C

check\_attributes() (*fitbenchmarking.controllers.base\_controller.Controller* method), 45

cleanup() (*fitbenchmarking.controllers.base\_controller.Controller* method), 45

cleanup() (*fitbenchmarking.controllers.bumps\_controller.BumpsController* method), 46

cleanup() (*fitbenchmarking.controllers.dfo\_controller.DFOController* method), 47

cleanup() (*fitbenchmarking.controllers.gsl\_controller.GSLController* method), 47

cleanup() (*fitbenchmarking.controllers.mantid\_controller.MantidController* method), 48

cleanup() (*fitbenchmarking.controllers.minuit\_controller.MinuitController* method), 48

cleanup() (*fitbenchmarking.controllers.ralfit\_controller.RALFitController* method), 49

cleanup() (*fitbenchmarking.controllers.scipy\_controller.ScipyController* method), 49

cleanup() (*fitbenchmarking.controllers.scipy\_ls\_controller.ScipyLSController* method), 49

colour\_highlight() (*fitbenchmarking.results\_processing.base\_table.Table* method), 60

colour\_highlight() (*fitbenchmarking.results\_processing.compare\_table.CompareTable* method), 63

CompareTable (class in *fitbenchmarking.results\_processing.compare\_table*), 63

Controller (class in *fitbenchmarking.controllers.base\_controller*), 45

ControllerAttributeError, 70

ControllerFactory (class in *fitbenchmarking.controllers.controller\_factory*), 46

correct\_data() (*fitbenchmarking.parsing.fitting\_problem.FittingProblem* method), 56

correct\_data() (in module *fitbenchmarking.parsing.fitting\_problem*), 58

create() (in module *fitbenchmarking.results\_processing.support\_page*), 67

create\_controller() (*fitbenchmarking.controllers.controller\_factory.ControllerFactory* static method), 47

create\_directories() (in module *fitbenchmarking.core.results\_output*), 51

create\_jacobian() (in module *fitbenchmarking.jacobian.jacobian\_factory*), 54

create\_pandas\_data\_frame() (*fitbenchmarking.results\_processing.base\_table.Table* method), 61

create\_parser() (*fitbenchmarking.parsing.parser\_factory.ParserFactory* static method), 59

create\_plot() (in module *fitbenchmark-*

`ing.results_processing.performance_profiler`),  
65  
`create_plots()` (in module `fitbenchmark-  
ing.core.results_output`), 52  
`create_prob_group()` (in module `fitbenchmark-  
ing.results_processing.support_page`), 67  
`create_problem_level_index()` (in module `fit-  
benchmarking.core.results_output`), 52  
`create_results_dict()` (`fitbenchmark-  
ing.results_processing.base_table.Table`  
method), 61  
`create_results_tables()` (in module `fitbench-  
marking.results_processing.tables`), 68  
`css()` (in module `fitbenchmarking.utils.create_dirs`), 69  
`CutestParser` (class in `fitbenchmark-  
ing.parsing.cutest_parser`), 55

## D

`data_e` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
attribute), 56  
`data_x` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
attribute), 56  
`data_y` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
attribute), 56  
`DEFAULT_FITTING` (`fitbenchmark-  
ing.utils.options.Options` attribute), 73  
`DEFAULT_LOGGING` (`fitbenchmark-  
ing.utils.options.Options` attribute), 73  
`DEFAULT_MINIMZERS` (`fitbenchmark-  
ing.utils.options.Options` attribute), 73  
`DEFAULT_PLOTTING` (`fitbenchmark-  
ing.utils.options.Options` attribute), 73  
`DEFAULTS` (`fitbenchmarking.utils.options.Options` at-  
tribute), 73  
`del_contents_of_dir()` (in module `fitbenchmark-  
ing.utils.create_dirs`), 69  
`DFOController` (class in `fitbenchmark-  
ing.controllers.dfo_controller`), 47  
`display_str()` (`fitbenchmark-  
ing.results_processing.base_table.Table`  
method), 61  
`display_str()` (`fitbenchmark-  
ing.results_processing.compare_table.CompareTable`  
method), 63  
`display_str()` (`fitbenchmark-  
ing.results_processing.local_min_table.LocalMinTable`  
method), 64

## E

`enable_error()` (`fitbenchmark-  
ing.results_processing.base_table.Table`

method), 61  
`enable_link()` (`fitbenchmark-  
ing.results_processing.base_table.Table`  
method), 61  
`end_x` (`fitbenchmarking.parsing.fitting_problem.FittingProblem`  
attribute), 56  
`equation` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
attribute), 56  
`escape_char` (`fitbenchmark-  
ing.utils.output_grabber.StreamGrabber`  
attribute), 74  
`eval()` (`fitbenchmark-  
ing.jacobian.base_jacobian.Jacobian` method),  
54  
`eval()` (`fitbenchmark-  
ing.jacobian.SciPyFD_2point_jacobian.ScipyTwoPoint`  
method), 53  
`eval()` (`fitbenchmark-  
ing.jacobian.SciPyFD_3point_jacobian.ScipyThreePoint`  
method), 53  
`eval()` (`fitbenchmark-  
ing.jacobian.SciPyFD_cs_jacobian.ScipyCS`  
method), 54  
`eval_chisq()` (`fitbenchmark-  
ing.controllers.base_controller.Controller`  
method), 45  
`eval_chisq()` (`fitbenchmark-  
ing.controllers.mantid_controller.MantidController`  
method), 48  
`eval_f()` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
method), 57  
`eval_jac()` (`fitbenchmark-  
ing.controllers.scipy_controller.ScipyController`  
method), 49  
`eval_r()` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
method), 57  
`eval_r_norm()` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
method), 57  
`eval_starting_params()` (`fitbenchmark-  
ing.parsing.fitting_problem.FittingProblem`  
method), 57  
`ExceptionHandler()` (in module `fitbenchmark-  
ing.cli.exception_handler`), 44

## F

`figures()` (in module `fitbenchmark-  
ing.utils.create_dirs`), 69  
`file_path` (`fitbenchmark-  
ing.results_processing.base_table.Table` at-  
tribute), 62

[fit\(\)](#) ([fitbenchmarking.controllers.base\\_controller.Controller](#) (module), 54  
 method), 45 [fitbenchmarking.jacobian.SciPyFD\\_2point\\_jacobian](#)  
[fit\(\)](#) ([fitbenchmarking.controllers.bumps\\_controller.BumpsController](#) (module), 53  
 method), 46 [fitbenchmarking.jacobian.SciPyFD\\_3point\\_jacobian](#)  
[fit\(\)](#) ([fitbenchmarking.controllers.dfo\\_controller.DFOController](#) (module), 53  
 method), 47 [fitbenchmarking.jacobian.SciPyFD\\_cs\\_jacobian](#)  
[fit\(\)](#) ([fitbenchmarking.controllers.gsl\\_controller.GSLController](#) (module), 54  
 method), 47 [fitbenchmarking.parsing](#) (module), 60  
[fit\(\)](#) ([fitbenchmarking.controllers.mantid\\_controller.MantidController](#) (module), 55  
 method), 48 [fitbenchmarking.parsing.base\\_parser](#)  
[fit\(\)](#) ([fitbenchmarking.controllers.minuit\\_controller.MinuitController](#) (module), 55  
 method), 48 [fitbenchmarking.parsing.cutest\\_parser](#)  
[fit\(\)](#) ([fitbenchmarking.controllers.ralfit\\_controller.RALFitController](#) (module), 56  
 method), 49 [fitbenchmarking.parsing.fitbenchmark\\_parser](#)  
[fit\(\)](#) ([fitbenchmarking.controllers.scipy\\_controller.SciPyController](#) (module), 56  
 method), 49 [fitbenchmarking.parsing.fitting\\_problem](#)  
[fit\(\)](#) ([fitbenchmarking.controllers.scipy\\_ls\\_controller.SciPyLSController](#) (module), 58  
 method), 49 [fitbenchmarking.parsing.nist\\_data\\_functions](#)  
[FitBenchmarkException](#), 70 [fitbenchmarking.parsing.nist\\_parser](#)  
[fitbenchmarking](#) (module), 74 (module), 59  
[fitbenchmarking.cli](#) (module), 45 [fitbenchmarking.parsing.parser\\_factory](#)  
[fitbenchmarking.cli.exception\\_handler](#) (module), 59  
 (module), 44 [fitbenchmarking.results\\_processing](#) (mod-  
 ule), 69  
[fitbenchmarking.cli.main](#) (module), 44 [fitbenchmarking.results\\_processing.acc\\_table](#)  
[fitbenchmarking.controllers](#) (module), 50 (module), 60  
[fitbenchmarking.controllers.base\\_controller](#) (module), 45 [fitbenchmarking.results\\_processing.base\\_table](#)  
 (module), 46 [fitbenchmarking.results\\_processing.compare\\_table](#)  
[fitbenchmarking.controllers.bumps\\_controller](#) (module), 60  
 (module), 46 [fitbenchmarking.results\\_processing.local\\_min\\_table](#)  
[fitbenchmarking.controllers.controller\\_factory](#) (module), 63  
 (module), 46 [fitbenchmarking.results\\_processing.performance\\_pro](#)  
[fitbenchmarking.controllers.dfo\\_controller](#) (module), 64  
 (module), 47 [fitbenchmarking.results\\_processing.plots](#)  
[fitbenchmarking.controllers.gsl\\_controller](#) (module), 65  
 (module), 47 [fitbenchmarking.results\\_processing.plots](#)  
[fitbenchmarking.controllers.mantid\\_controller](#) (module), 66  
 (module), 47 [fitbenchmarking.results\\_processing.runtime\\_table](#)  
[fitbenchmarking.controllers.minuit\\_controller](#) (module), 66  
 (module), 48 [fitbenchmarking.results\\_processing.support\\_page](#)  
[fitbenchmarking.controllers.ralfit\\_controller](#) (module), 67  
 (module), 48 [fitbenchmarking.results\\_processing.tables](#)  
[fitbenchmarking.controllers.scipy\\_controller](#) (module), 68  
 (module), 49 [fitbenchmarking.utils](#) (module), 74  
[fitbenchmarking.controllers.scipy\\_ls\\_controller](#) (module), 69  
 (module), 49 [fitbenchmarking.utils.create\\_dirs](#) (mod-  
 ule), 69  
[fitbenchmarking.core](#) (module), 53 [fitbenchmarking.utils.exceptions](#) (mod-  
 ule), 70  
[fitbenchmarking.core.fitting\\_benchmarking](#) (module), 50 [fitbenchmarking.utils.fitbm\\_result](#) (mod-  
 ule), 71  
[fitbenchmarking.core.results\\_output](#) (module), 51 [fitbenchmarking.utils.log](#) (module), 72  
[fitbenchmarking.jacobian](#) (module), 55 [fitbenchmarking.utils.misc](#) (module), 72  
[fitbenchmarking.jacobian.base\\_jacobian](#) (module), 54 [fitbenchmarking.utils.options](#) (module), 73  
[fitbenchmarking.jacobian.jacobian\\_factory](#) (module), 74 [fitbenchmarking.utils.output\\_grabber](#)

FitbenchmarkParser (class in *fitbenchmarking.parsing.fitbenchmark\_parser*), 56  
 FittingProblem (class in *fitbenchmarking.parsing.fitting\_problem*), 56  
 FittingProblemError, 70  
 FittingResult (class in *fitbenchmarking.utils.fitbm\_result*), 71  
 flag (*fitbenchmarking.controllers.base\_controller.Controller* attribute), 46  
 format\_function\_scipy() (in module *fitbenchmarking.parsing.nist\_data\_functions*), 58  
 format\_plot() (*fitbenchmarking.results\_processing.plots.Plot* method), 66  
 function (*fitbenchmarking.parsing.fitting\_problem.FittingProblem* attribute), 57

## G

generate\_table() (in module *fitbenchmarking.results\_processing.tables*), 68  
 get\_colour() (*fitbenchmarking.results\_processing.base\_table.Table* method), 62  
 get\_colour() (*fitbenchmarking.results\_processing.local\_min\_table.LocalMinTable* method), 64  
 get\_css() (in module *fitbenchmarking.utils.misc*), 72  
 get\_description() (*fitbenchmarking.results\_processing.base\_table.Table* method), 62  
 get\_error() (*fitbenchmarking.results\_processing.base\_table.Table* method), 62  
 get\_figure\_paths() (in module *fitbenchmarking.results\_processing.support\_page*), 68  
 get\_function\_params() (*fitbenchmarking.parsing.fitting\_problem.FittingProblem* method), 57  
 get\_js() (in module *fitbenchmarking.utils.misc*), 73  
 get\_links() (*fitbenchmarking.results\_processing.base\_table.Table* method), 62  
 get\_logger() (in module *fitbenchmarking.utils.log*), 72  
 get\_parser() (in module *fitbenchmarking.cli.main*), 44  
 get\_problem\_files() (in module *fitbenchmarking.utils.misc*), 73  
 get\_values() (*fitbenchmarking.results\_processing.acc\_table.AccTable* method), 60  
 get\_values() (*fitbenchmarking.results\_processing.base\_table.Table* method), 62  
 get\_values() (*fitbenchmarking.results\_processing.compare\_table.CompareTable* method), 63  
 get\_values() (*fitbenchmarking.results\_processing.local\_min\_table.LocalMinTable* method), 64  
 get\_values() (*fitbenchmarking.results\_processing.runtime\_table.RuntimeTable* method), 67  
 group\_results() (in module *fitbenchmarking.utils.create\_dirs*), 70  
 GSLController (class in *fitbenchmarking.controllers.gsl\_controller*), 47

## I

is\_safe() (in module *fitbenchmarking.parsing.nist\_data\_functions*), 58

## J

Jacobian (class in *fitbenchmarking.jacobian.base\_jacobian*), 54

## L

load\_table() (in module *fitbenchmarking.results\_processing.tables*), 69  
 LocalMinTable (class in *fitbenchmarking.results\_processing.local\_min\_table*), 64  
 loop\_over\_benchmark\_problems() (in module *fitbenchmarking.core.fitting\_benchmarking*), 50  
 loop\_over\_fitting\_software() (in module *fitbenchmarking.core.fitting\_benchmarking*), 50  
 loop\_over\_minimizers() (in module *fitbenchmarking.core.fitting\_benchmarking*), 51  
 loop\_over\_starting\_values() (in module *fitbenchmarking.core.fitting\_benchmarking*), 51

## M

main() (in module *fitbenchmarking.cli.main*), 44  
 MantidController (class in *fitbenchmarking.controllers.mantid\_controller*), 47  
 minimizers (*fitbenchmarking.utils.options.Options* attribute), 73  
 MinuitController (class in *fitbenchmarking.controllers.minuit\_controller*), 48  
 MissingSoftwareError, 70  
 multifit (*fitbenchmarking.parsing.fitting\_problem.FittingProblem* attribute), 57

## N

name (*fitbenchmarking.parsing.fitting\_problem.FittingProblem* attribute), 58

nist\_func\_definition() (in module *fitbenchmarking.parsing.nist\_data\_functions*), 59

NISTParser (class in *fitbenchmarking.parsing.nist\_parser*), 59

NoControllerError, 70

NoDataError, 71

NoJacobianError, 71

NoParserError, 71

NoResultsError, 71

norm\_acc (*fitbenchmarking.utils.fitbm\_result.FittingResult* attribute), 71

norm\_runtime (*fitbenchmarking.utils.fitbm\_result.FittingResult* attribute), 72

plot\_data() (*fitbenchmarking.results\_processing.plots.Plot* method), 66

plot\_fit() (*fitbenchmarking.results\_processing.plots.Plot* method), 66

plot\_initial\_guess() (*fitbenchmarking.results\_processing.plots.Plot* method), 66

prepare() (*fitbenchmarking.controllers.base\_controller.Controller* method), 46

prepare\_profile\_data() (in module *fitbenchmarking.results\_processing.performance\_profiler*), 65

preprocess\_data() (in module *fitbenchmarking.core.results\_output*), 52

profile() (in module *fitbenchmarking.results\_processing.performance\_profiler*), 65

## O

Options (class in *fitbenchmarking.utils.options*), 73

OptionsError, 71

OutputGrabber (class in *fitbenchmarking.utils.output\_grabber*), 74

## P

param\_names (*fitbenchmarking.parsing.fitting\_problem.FittingProblem* attribute), 58

parse() (*fitbenchmarking.parsing.base\_parser.Parser* method), 55

parse() (*fitbenchmarking.parsing.cutest\_parser.CutestParser* method), 55

parse() (*fitbenchmarking.parsing.fitbenchmark\_parser.FitbenchmarkParser* method), 56

parse() (*fitbenchmarking.parsing.nist\_parser.NISTParser* method), 59

parse\_problem\_file() (in module *fitbenchmarking.parsing.parser\_factory*), 59

Parser (class in *fitbenchmarking.parsing.base\_parser*), 55

ParserFactory (class in *fitbenchmarking.parsing.parser\_factory*), 59

ParsingError, 71

Plot (class in *fitbenchmarking.results\_processing.plots*), 66

plot() (in module *fitbenchmarking.results\_processing.performance\_profiler*), 65

plot\_best() (*fitbenchmarking.results\_processing.plots.Plot* method), 66

RALFitController (class in *fitbenchmarking.controllers.ralfit\_controller*), 48

read\_list() (in module *fitbenchmarking.utils.options*), 74

read\_value() (*fitbenchmarking.utils.options.Options* method), 73

readOutput() (*fitbenchmarking.utils.output\_grabber.StreamGrabber* method), 74

reset() (*fitbenchmarking.utils.options.Options* method), 74

results() (in module *fitbenchmarking.utils.create\_dirs*), 70

results\_dir (*fitbenchmarking.utils.options.Options* attribute), 74

run() (in module *fitbenchmarking.cli.main*), 44

RuntimeTable (class in *fitbenchmarking.results\_processing.runtime\_table*), 66

## R

sanitised\_min\_name (*fitbenchmarking.utils.fitbm\_result.FittingResult* attribute), 72

sanitised\_name (*fitbenchmarking.utils.fitbm\_result.FittingResult* attribute), 72

save\_results() (in module *fitbenchmarking.core.results\_output*), 52

ScipyController (class in *fitbenchmarking.controllers.scipy\_controller*), 49

## S

Index

ScipyCS (class in *fitbenchmarking.jacobian.SciPyFD\_cs\_jacobian*), 54  
 ScipyLSController (class in *fitbenchmarking.controllers.scipy\_ls\_controller*), 49  
 ScipyThreePoint (class in *fitbenchmarking.jacobian.SciPyFD\_3point\_jacobian*), 53  
 ScipyTwoPoint (class in *fitbenchmarking.jacobian.SciPyFD\_2point\_jacobian*), 53  
 setup() (fitbenchmarking.controllers.base\_controller.Controller method), 46  
 setup() (fitbenchmarking.controllers.bumps\_controller.BumpsController method), 46  
 setup() (fitbenchmarking.controllers.dfo\_controller.DFOController method), 47  
 setup() (fitbenchmarking.controllers.gsl\_controller.GSLController method), 47  
 setup() (fitbenchmarking.controllers.mantid\_controller.MantidController method), 48  
 setup() (fitbenchmarking.controllers.minuit\_controller.MinuitController method), 48  
 setup() (fitbenchmarking.controllers.ralfit\_controller.RALFitController method), 49  
 setup() (fitbenchmarking.controllers.scipy\_controller.ScipyController method), 49  
 setup() (fitbenchmarking.controllers.scipy\_ls\_controller.ScipyLSController method), 49  
 setup\_logger() (in module *fitbenchmarking.utils.log*), 72  
 sorted\_index (fitbenchmarking.parsing.fitting\_problem.FittingProblem attribute), 58  
 start() (fitbenchmarking.utils.output\_grabber.StreamGrabber method), 74  
 start\_x (fitbenchmarking.parsing.fitting\_problem.FittingProblem attribute), 58  
 starting\_values (fitbenchmarking.parsing.fitting\_problem.FittingProblem attribute), 58  
 stop() (fitbenchmarking.utils.output\_grabber.StreamGrabber method), 74  
 StreamGrabber (class in *fitbenchmarking.utils.output\_grabber*), 74  
 support\_pages() (in module *fitbenchmarking.utils.create\_dirs*), 70  
 T  
 Table (class in *fitbenchmarking.results\_processing.base\_table*), 60  
 table\_title (fitbenchmarking.results\_processing.base\_table.Table attribute), 62  
 to\_html() (fitbenchmarking.results\_processing.base\_table.Table method), 62  
 to\_txt() (fitbenchmarking.results\_processing.base\_table.Table method), 63  
 U  
 UnknownMinimizerError, 71  
 UnknownTableError, 71  
 UnsupportedMinimizerError, 71  
 V  
 VALID (fitbenchmarking.utils.options.Options attribute), 73  
 VALID\_FITTING (fitbenchmarking.utils.options.Options attribute), 73  
 VALID\_FLAGS (fitbenchmarking.controllers.base\_controller.Controller attribute), 45  
 VALID\_LOGGING (fitbenchmarking.utils.options.Options attribute), 73  
 VALID\_MINIMIZERS (fitbenchmarking.utils.options.Options attribute), 73  
 VALID\_PLOTTING (fitbenchmarking.utils.options.Options attribute), 73  
 VALID\_SECTIONS (fitbenchmarking.utils.options.Options attribute), 73  
 validate\_minimizer() (fitbenchmarking.controllers.base\_controller.Controller method), 46  
 value\_ranges (fitbenchmarking.parsing.fitting\_problem.FittingProblem attribute), 58  
 verify() (fitbenchmarking.parsing.fitting\_problem.FittingProblem method), 58  
 W  
 write() (fitbenchmarking.utils.options.Options method), 74  
 write\_to\_stream() (fitbenchmarking.utils.options.Options method), 74